

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv060420\
 Data File : VY002841.D
 Acq On : 04 Jun 2020 16:18
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 04 19:57:31 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 27 13:13:33 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	106	0.00
2 T	Dichlorodifluoromethane	0.344	0.292	15.1	98	0.00
3 P	Chloromethane	0.381	0.331	13.1	101	0.00
4 C	Vinyl Chloride	0.402	0.371	7.7#	104	0.00
5 T	Bromomethane	0.301	0.281	6.6	106	0.00
6 T	Chloroethane	0.261	0.252	3.4	108	0.00
7 T	Trichlorofluoromethane	0.712	0.677	4.9	105	0.00
8 T	Diethyl Ether	0.278	0.255	8.3	103	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.423	0.434	-2.6	109	0.00
10 T	Methyl Iodide	0.592	0.595	-0.5	103	0.00
11 T	Tert butyl alcohol	0.054	0.041	24.1	95	0.00
12 CM	1,1-Dichloroethene	0.425	0.421	0.9#	108	0.00
13 T	Acrolein	0.051	0.051	0.0	113	0.00
14 T	Allyl chloride	0.610	0.640	-4.9	111	0.00
15 T	Acrylonitrile	0.125	0.123	1.6	105	0.00
16 T	Acetone	0.102	0.100	2.0	101	0.00
17 T	Carbon Disulfide	1.285	1.175	8.6	100	0.00
18 T	Methyl Acetate	0.276	0.261	5.4	109	0.00
19 T	Methyl tert-butyl Ether	1.174	1.169	0.4	107	0.00
20 T	Methylene Chloride	0.497	0.506	-1.8	115	0.00
21 T	trans-1,2-Dichloroethene	0.478	0.467	2.3	106	0.00
22 T	Diisopropyl ether	1.268	1.335	-5.3	112	0.00
23 T	Vinyl Acetate	0.837	0.887	-6.0	109	0.00
24 P	1,1-Dichloroethane	0.742	0.769	-3.6	110	0.00
25 T	2-Butanone	0.159	0.154	3.1	103	0.00
26 T	2,2-Dichloropropane	0.711	0.677	4.8	106	0.00
27 T	cis-1,2-Dichloroethene	0.536	0.531	0.9	108	0.00
28 T	Bromochloromethane	0.304	0.326	-7.2	115	0.00
29 T	Tetrahydrofuran	0.103	0.101	1.9	103	0.00
30 C	Chloroform	0.787	0.804	-2.2#	109	0.00
31 T	Cyclohexane	0.736	0.683	7.2	105	0.00
32 T	1,1,1-Trichloroethane	0.733	0.714	2.6	105	0.00
33 S	1,2-Dichloroethane-d4	0.434	0.417	3.9	103	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	106	0.00
35 S	Dibromofluoromethane	0.293	0.295	-0.7	105	0.00
36 T	1,1-Dichloropropene	0.421	0.412	2.1	106	0.00
37 T	Ethyl Acetate	0.229	0.231	-0.9	107	0.00
38 T	Carbon Tetrachloride	0.468	0.448	4.3	104	0.00
39 T	Methylcyclohexane	0.555	0.529	4.7	104	0.00
40 TM	Benzene	1.245	1.224	1.7	106	0.00
41 T	Methacrylonitrile	0.123	0.129	-4.9	117	0.00
42 TM	1,2-Dichloroethane	0.349	0.337	3.4	105	0.00
43 T	Isopropyl Acetate	0.434	0.433	0.2	105	0.00
44 TM	Trichloroethene	0.393	0.377	4.1	104	0.00
45 C	1,2-Dichloropropane	0.298	0.303	-1.7#	109	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv060420\
 Data File : VY002841.D
 Acq On : 04 Jun 2020 16:18
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 04 19:57:31 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 27 13:13:33 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.177	0.177	0.0	107	0.00
47 T	Bromodichloromethane	0.418	0.427	-2.2	108	0.00
48 T	Methyl methacrylate	0.196	0.195	0.5	105	0.00
49 T	1,4-Dioxane	0.003	0.002	33.3#	97	0.00
50 S	Toluene-d8	1.185	1.122	5.3	101	0.00
51 T	4-Methyl-2-Pentanone	0.230	0.227	1.3	105	0.00
52 CM	Toluene	0.814	0.793	2.6#	105	0.00
53 T	t-1,3-Dichloropropene	0.456	0.451	1.1	105	0.00
54 T	cis-1,3-Dichloropropene	0.517	0.522	-1.0	108	0.00
55 T	1,1,2-Trichloroethane	0.271	0.265	2.2	105	0.00
56 T	Ethyl methacrylate	0.363	0.368	-1.4	107	0.00
57 T	1,3-Dichloropropane	0.446	0.439	1.6	106	0.00
58 T	2-Chloroethyl Vinyl ether	0.178	0.181	-1.7	111	0.00
59 T	2-Hexanone	0.163	0.160	1.8	102	0.00
60 T	Dibromochloromethane	0.344	0.341	0.9	106	0.00
61 T	1,2-Dibromoethane	0.268	0.262	2.2	104	0.00
62 S	4-Bromofluorobenzene	0.405	0.399	1.5	104	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	105	0.00
64 T	Tetrachloroethene	0.454	0.421	7.3	99	0.00
65 PM	Chlorobenzene	0.988	0.975	1.3	106	0.00
66 T	1,1,1,2-Tetrachloroethane	0.372	0.371	0.3	105	0.00
67 C	Ethyl Benzene	1.713	1.680	1.9#	106	0.00
68 T	m/p-Xylenes	0.664	0.652	1.8	105	0.00
69 T	o-Xylene	0.627	0.616	1.8	104	0.00
70 T	Styrene	1.087	1.080	0.6	105	0.00
71 P	Bromoform	0.249	0.245	1.6	104	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	102	0.00
73 T	Isopropylbenzene	3.204	3.206	-0.1	105	0.00
74 T	N-amyl acetate	0.822	0.852	-3.6	105	0.00
75 P	1,1,2,2-Tetrachloroethane	0.562	0.593	-5.5	109	0.00
76 T	1,2,3-Trichloropropane	0.451	0.466	-3.3	107	0.00
77 T	Bromobenzene	0.834	0.829	0.6	105	0.00
78 T	n-propylbenzene	3.701	3.716	-0.4	105	0.00
79 T	2-Chlorotoluene	2.076	2.079	-0.1	105	0.00
80 T	1,3,5-Trimethylbenzene	2.675	2.666	0.3	104	0.00
81 T	trans-1,4-Dichloro-2-butene	0.239	0.241	-0.8	102	0.00
82 T	4-Chlorotoluene	2.175	2.184	-0.4	104	0.00
83 T	tert-Butylbenzene	2.386	2.384	0.1	104	0.00
84 T	1,2,4-Trimethylbenzene	2.690	2.684	0.2	104	0.00
85 T	sec-Butylbenzene	3.263	3.252	0.3	104	0.00
86 T	p-Isopropyltoluene	3.036	3.043	-0.2	104	0.00
87 T	1,3-Dichlorobenzene	1.580	1.558	1.4	104	0.00
88 T	1,4-Dichlorobenzene	1.581	1.566	0.9	104	0.00
89 T	n-Butylbenzene	2.757	2.768	-0.4	104	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv060420\
Data File : VY002841.D
Acq On : 04 Jun 2020 16:18
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Jun 04 19:57:31 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
Quant Title : SW846 8260
QLast Update : Wed May 27 13:13:33 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.568	0.579	-1.9	106	0.00
91 T	1,2-Dichlorobenzene	1.433	1.429	0.3	104	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.108	0.107	0.9	102	0.00
93 T	1,2,4-Trichlorobenzene	1.080	1.060	1.9	103	0.00
94 T	Hexachlorobutadiene	0.613	0.611	0.3	104	0.00
95 T	Naphthalene	2.166	2.096	3.2	101	0.00
96 T	1,2,3-Trichlorobenzene	0.965	0.947	1.9	104	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6