

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060622\
 Data File : VY009148.D
 Acq On : 06 Jun 2022 15:28
 Operator : KP/MD
 Sample : N3170-01
 Misc : 5.06g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 20220413-COMPOSITE-B

Quant Time: Jun 07 02:32:28 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052022S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 20 23:50:52 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	106088	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	187780	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	166632	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	67998	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	70994	65.022	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 130.040%	
35) Dibromofluoromethane	7.710	113	59770	51.186	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 102.380%	
50) Toluene-d8	10.179	98	228380	53.016	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 106.040%	
62) 4-Bromofluorobenzene	12.477	95	63161	36.347	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 72.700%	
Target Compounds						Qvalue
16) Acetone	3.942	43	6619	29.123	ug/l	93
25) 2-Butanone	6.984	43	2851	7.023	ug/l	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060622\
Data File : VY009148.D
Acq On : 06 Jun 2022 15:28
Operator : KP/MD
Sample : N3170-01
Misc : 5.06g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
20220413-COMPOSITE-B

Quant Time: Jun 07 02:32:28 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052022S.M
Quant Title : SW846 8260
QLast Update : Fri May 20 23:50:52 2022
Response via : Initial Calibration

