

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071922\
 Data File : VY009596.D
 Acq On : 19 Jul 2022 17:49
 Operator : KP/MD
 Sample : N3651-07
 Misc : 5.82g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SED-5-(12-18)

Quant Time: Jul 20 02:45:17 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071822S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 19 04:22:09 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	222354	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	373108	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	346761	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	154992	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	103087	49.021	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	98.040%
35) Dibromofluoromethane	7.710	113	97141	41.327	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	82.660%
50) Toluene-d8	10.173	98	371910	41.157	ug/l	0.00
Spiked Amount	50.000	Range	78 - 125	Recovery	=	82.320%
62) 4-Bromofluorobenzene	12.477	95	125665	42.918	ug/l	0.00
Spiked Amount	50.000	Range	50 - 146	Recovery	=	85.840%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071922\
Data File : VY009596.D
Acq On : 19 Jul 2022 17:49
Operator : KP/MD
Sample : N3651-07
Misc : 5.82g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SED-5-(12-18)

Quant Time: Jul 20 02:45:17 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071822S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 19 04:22:09 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.783 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY009596.D
Acq: 19 Jul 2022 17:49




Instrument :
MSVOA_Y
ClientSampleId :
SED-5-(12-18)


Tgt Ion:168 Resp: 222354
Ion Ratio Lower Upper
168 100
99 48.5 46.9 70.3



#33
1,2-Dichloroethane-d4
Concen: 49.021 ug/l
RT: 8.136 min Scan# 1036
Delta R.T. -0.000 min
Lab File: VY009596.D
Acq: 19 Jul 2022 17:49

Tgt Ion: 65 Resp: 103087
Ion Ratio Lower Upper
65 100
67 54.4 0.0 99.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.685 min Scan# 1126

Delta R.T. -0.000 min

Lab File: VY009596.D

Acq: 19 Jul 2022 17:49

Instrument :

MSVOA_Y

ClientSampleId :

SED-5-(12-18)





Tgt Ion:114 Resp: 373108

Ion Ratio Lower Upper

114 100

63 17.7 0.0 43.2

88 14.5 0.0 31.8



#35

Dibromofluoromethane

Concen: 41.327 ug/l

RT: 7.710 min Scan# 966

Delta R.T. -0.000 min

Lab File: VY009596.D

Acq: 19 Jul 2022 17:49




Tgt Ion:113 Resp: 97141


Ion Ratio Lower Upper

113 100

111 101.7 82.6 124.0

192 22.1 17.6 26.4









#50
Toluene-d8
Concen: 41.157 ug/l
RT: 10.173 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY009596.D
Acq: 19 Jul 2022 17:49




Instrument :
MSVOA_Y
ClientSampleId :
SED-5-(12-18)


Tgt Ion: 98 Resp: 371910
Ion Ratio Lower Upper
98 100
100 65.3 50.2 75.2



#62
4-Bromofluorobenzene
Concen: 42.918 ug/l
RT: 12.477 min Scan# 1748
Delta R.T. -0.000 min
Lab File: VY009596.D
Acq: 19 Jul 2022 17:49

Tgt Ion: 95 Resp: 125665
Ion Ratio Lower Upper
95 100
174 91.3 0.0 177.0
176 88.4 0.0 175.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.490 min Scan# 117
Delta R.T. -0.000 min
Lab File: VY009596.D
Acq: 19 Jul 2022 17:49

Instrument :
MSVOA_Y
ClientSampleId :
SED-5-(12-18)

Tgt Ion:117 Resp: 346761
Ion Ratio Lower Upper
117 100
82 49.8 43.0 64.4
119 31.6 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.422 min Scan# 1903
Delta R.T. -0.000 min
Lab File: VY009596.D
Acq: 19 Jul 2022 17:49

Tgt Ion:152 Resp: 154992
Ion Ratio Lower Upper
152 100
115 54.9 28.2 84.7
150 156.7 0.0 347.6

