

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv072220\
 Data File : VY003306.D
 Acq On : 22 Jul 2020 22:21
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 23 06:39:38 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y071020S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 10 13:18:03 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	72	0.00
2 T	Dichlorodifluoromethane	0.358	0.298	16.8	69	0.00
3 P	Chloromethane	0.497	0.491	1.2	79	0.00
4 C	Vinyl Chloride	0.510	0.491	3.7#	76	0.00
5 T	Bromomethane	0.379	0.413	-9.0	89	0.00
6 T	Chloroethane	0.335	0.336	-0.3	78	0.00
7 T	Trichlorofluoromethane	0.728	0.696	4.4	74	0.00
8 T	Diethyl Ether	0.244	0.278	-13.9	88	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.440	0.413	6.1	73	0.00
10 T	Methyl Iodide	0.478	0.371	22.4	56	0.00
11 T	Tert butyl alcohol	0.046	0.051	-10.9	92	0.00
12 CM	1,1-Dichloroethene	0.416	0.408	1.9#	76	0.00
13 T	Acrolein	0.040	0.033	17.5	69	0.00
14 T	Allyl chloride	0.617	0.715	-15.9	87	0.00
15 T	Acrylonitrile	0.117	0.147	-25.6#	96	0.00
16 T	Acetone	0.094	0.109	-16.0	86	0.00
17 T	Carbon Disulfide	1.277	1.271	0.5	76	0.00
18 T	Methyl Acetate	0.262	0.346	-32.1#	104	0.00
19 T	Methyl tert-butyl Ether	1.166	1.326	-13.7	86	0.00
20 T	Methylene Chloride	0.560	0.541	3.4	83	0.00
21 T	trans-1,2-Dichloroethene	0.471	0.490	-4.0	79	0.00
22 T	Diisopropyl ether	1.370	1.661	-21.2	90	0.00
23 T	Vinyl Acetate	0.913	1.066	-16.8	86	0.00
24 P	1,1-Dichloroethane	0.794	0.894	-12.6	85	0.00
25 T	2-Butanone	0.155	0.189	-21.9	93	0.00
26 T	2,2-Dichloropropane	0.715	0.674	5.7	72	0.00
27 T	cis-1,2-Dichloroethene	0.518	0.577	-11.4	84	0.00
28 T	Bromochloromethane	0.344	0.416	-20.9	90	0.00
29 T	Tetrahydrofuran	0.104	0.129	-24.0	94	0.00
30 C	Chloroform	0.818	0.923	-12.8#	86	0.00
31 T	Cyclohexane	0.768	0.730	4.9	74	0.00
32 T	1,1,1-Trichloroethane	0.736	0.792	-7.6	82	0.00
33 S	1,2-Dichloroethane-d4	0.422	0.469	-11.1	84	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	78	0.00
35 S	Dibromofluoromethane	0.288	0.287	0.3	80	0.00
36 T	1,1-Dichloropropene	0.453	0.439	3.1	79	0.00
37 T	Ethyl Acetate	0.244	0.280	-14.8	93	0.00
38 T	Carbon Tetrachloride	0.468	0.454	3.0	78	0.00
39 T	Methylcyclohexane	0.569	0.508	10.7	73	0.00
40 TM	Benzene	1.248	1.296	-3.8	85	0.00
41 T	Methacrylonitrile	0.147	0.173	-17.7	93	0.00
42 TM	1,2-Dichloroethane	0.384	0.401	-4.4	86	0.00
43 T	Isopropyl Acetate	0.472	0.534	-13.1	91	0.00
44 TM	Trichloroethene	0.383	0.362	5.5	78	0.00
45 C	1,2-Dichloropropane	0.323	0.345	-6.8#	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv072220\
 Data File : VY003306.D
 Acq On : 22 Jul 2020 22:21
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 23 06:39:38 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y071020S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 10 13:18:03 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.189	0.194	-2.6	84	0.00
47 T	Bromodichloromethane	0.448	0.480	-7.1	87	0.00
48 T	Methyl methacrylate	0.211	0.237	-12.3	90	0.00
49 T	1,4-Dioxane	0.002	0.003	-50.0#	88	0.00
50 S	Toluene-d8	1.070	1.033	3.5	80	0.00
51 T	4-Methyl-2-Pentanone	0.246	0.282	-14.6	92	0.00
52 CM	Toluene	0.798	0.811	-1.6#	83	0.00
53 T	t-1,3-Dichloropropene	0.465	0.485	-4.3	84	0.00
54 T	cis-1,3-Dichloropropene	0.535	0.557	-4.1	85	0.00
55 T	1,1,2-Trichloroethane	0.267	0.286	-7.1	88	0.00
56 T	Ethyl methacrylate	0.363	0.402	-10.7	87	0.00
57 T	1,3-Dichloropropane	0.453	0.488	-7.7	88	0.00
58 T	2-Chloroethyl Vinyl ether	0.185	0.223	-20.5	97	0.00
59 T	2-Hexanone	0.171	0.196	-14.6	91	0.00
60 T	Dibromochloromethane	0.336	0.358	-6.5	86	0.00
61 T	1,2-Dibromoethane	0.264	0.269	-1.9	84	0.00
62 S	4-Bromofluorobenzene	0.386	0.376	2.6	82	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	80	0.00
64 T	Tetrachloroethene	0.446	0.397	11.0	77	0.00
65 PM	Chlorobenzene	0.963	0.951	1.2	84	0.00
66 T	1,1,1,2-Tetrachloroethane	0.374	0.379	-1.3	86	0.00
67 C	Ethyl Benzene	1.720	1.693	1.6#	83	0.00
68 T	m/p-Xylenes	0.653	0.638	2.3	83	0.00
69 T	o-Xylene	0.610	0.609	0.2	84	0.00
70 T	Styrene	1.043	1.079	-3.5	86	0.00
71 P	Bromoform	0.246	0.251	-2.0	84	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	81	0.00
73 T	Isopropylbenzene	3.186	3.056	4.1	82	0.00
74 T	N-amyl acetate	0.894	0.950	-6.3	89	0.00
75 P	1,1,2,2-Tetrachloroethane	0.615	0.652	-6.0	91	0.00
76 T	1,2,3-Trichloropropane	0.443	0.434	2.0	85	0.00
77 T	Bromobenzene	0.812	0.797	1.8	85	0.00
78 T	n-propylbenzene	3.756	3.636	3.2	82	0.00
79 T	2-Chlorotoluene	2.096	2.047	2.3	84	0.00
80 T	1,3,5-Trimethylbenzene	2.656	2.606	1.9	84	0.00
81 T	trans-1,4-Dichloro-2-butene	0.227	0.224	1.3	83	0.00
82 T	4-Chlorotoluene	2.187	2.146	1.9	84	0.00
83 T	tert-Butylbenzene	2.343	2.258	3.6	82	0.00
84 T	1,2,4-Trimethylbenzene	2.672	2.664	0.3	85	0.00
85 T	sec-Butylbenzene	3.221	3.116	3.3	82	0.00
86 T	p-Isopropyltoluene	3.007	2.910	3.2	82	0.00
87 T	1,3-Dichlorobenzene	1.536	1.523	0.8	85	0.00
88 T	1,4-Dichlorobenzene	1.521	1.505	1.1	86	0.00
89 T	n-Butylbenzene	2.829	2.694	4.8	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv072220\
Data File : VY003306.D
Acq On : 22 Jul 2020 22:21
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Jul 23 06:39:38 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y071020S.M
Quant Title : SW846 8260
QLast Update : Fri Jul 10 13:18:03 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.548	0.578	-5.5	89	0.00
91 T	1,2-Dichlorobenzene	1.348	1.381	-2.4	88	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.100	0.102	-2.0	89	0.00
93 T	1,2,4-Trichlorobenzene	0.959	0.923	3.8	83	0.00
94 T	Hexachlorobutadiene	0.657	0.615	6.4	82	0.00
95 T	Naphthalene	1.585	1.651	-4.2	90	0.00
96 T	1,2,3-Trichlorobenzene	0.758	0.757	0.1	87	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6