

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY072220\
 Data File : VY003279.D
 Acq On : 22 Jul 2020 11:23
 Operator : SY/MD
 Sample : VY0722SBL01
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0722SBL01

Quant Time: Jul 23 05:53:33 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y071020S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 10 13:18:03 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	419655	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	650393	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	609698	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	296980	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.14	65	212797	60.08	ug/l	0.00
Spiked Amount	50.000		Recovery	=	120.16%	
35) Dibromofluoromethane	7.72	113	203900	54.48	ug/l	0.00
Spiked Amount	50.000		Recovery	=	108.96%	
50) Toluene-d8	10.18	98	786302	56.51	ug/l	0.00
Spiked Amount	50.000		Recovery	=	113.02%	
62) 4-Bromofluorobenzene	12.48	95	258908	51.50	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.00%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY072220\
Data File : VY003279.D
Acq On : 22 Jul 2020 11:23
Operator : SY/MD
Sample : VY0722SBL01
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0722SBL01

Quant Time: Jul 23 05:53:33 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y071020S.M
Quant Title : SW846 8260
QLast Update : Fri Jul 10 13:18:03 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. 0.00 min

Lab File: VY003279.D

Acq: 22 Jul 2020 11:23

Instrument :

MSVOA_Y

ClientSampleId :


VY0722SBL01

Tot Ion:168 Resp: 419655

Ion Ratio Lower Upper

168 100

99 47.3 37.3 55.9



Abundance Ion 167.90 (167.60 to 168.60): VY003279.D (-945) (-)

Ion 98.90 (98.60 to 99.60): VY003279.D (-945) (-)

7.80

200000



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 60.078 ug/l

RT: 8.14 min Scan# 1051

Delta R.T. 0.00 min

Lab File: VY003279.D


Acq: 22 Jul 2020 11:23

Tgt Ion: 65 Resp: 212797

Ion Ratio Lower Upper

65 100

67 52.4 0.0 105.2



Abundance Ion 64.90 (64.60 to 65.60): VY003279.D (-1002) (-)

Ion 66.90 (66.60 to 67.60): VY003279.D (-1002) (-)

8.14

100000

80000


60000


40000

20000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. 0.00 min

Lab File: VY003279.D

Acq: 22 Jul 2020 11:23

Instrument :

MSVOA_Y

ClientSampleId :

VY0722SBL01


Tot Ion:114 Resp: 650393

Ion Ratio Lower Upper

114 100

63 20.3 0.0 41.2




88 14.8 0.0 30.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 54.477 ug/l

RT: 7.72 min Scan# 982

Delta R.T. 0.00 min

Lab File: VY003279.D

Acq: 22 Jul 2020 11:23


Tgt Ion:113 Resp: 203900

Ion Ratio Lower Upper

113 100

111 101.7 82.1 123.1



192 22.3 18.8 28.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 56.506 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. 0.00 min

Lab File: VY003279.D

Acq: 22 Jul 2020 11:23

Instrument :

MSVOA_Y

ClientSampled :


VY0722SBL01

Tot Ion: 98 Resp: 786302

Ion Ratio Lower Upper




98 100

100 63.9 50.7 76.1



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY0



#62

4-Bromofluorobenzene

Concen: 51.503 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. 0.00 min

Lab File: VY003279.D

Acq: 22 Jul 2020 11:23


Tgt Ion: 95 Resp: 258908

Ion Ratio Lower Upper

95 100

174 94.9 0.0 190.6



176 93.0 0.0 186.4




Abundance Ion 94.90 (94.60 to 95.60): VY0

Ion 173.80 (173.50 to 174.50): VY0

Ion 175.80 (175.50 to 176.50): VY0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. 0.00 min
Lab File: VY003279.D
Acq: 22 Jul 2020 11:23

Instrument :
MSVOA_Y
ClientSampleId :
VY0722SBL01

Tot Ion:117 Resp: 609698
Ion Ratio Lower Upper
117 100
82 52.9 42.0 63.0
119 31.8 25.5 38.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. 0.00 min
Lab File: VY003279.D
Acq: 22 Jul 2020 11:23

Tgt Ion:152 Resp: 296980
Ion Ratio Lower Upper
152 100
115 54.3 26.9 80.7
150 158.8 0.0 338.0

