

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY072220\
 Data File : VY003292.D
 Acq On : 22 Jul 2020 16:45
 Operator : SY/MD
 Sample : L3366-07RE
 Misc : 7.15G/5ML/MSVOA Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SP-2ARE

Quant Time: Jul 23 06:18:31 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y071020S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 10 13:18:03 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	378190	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	596167	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	547765	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	269113	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.14	65	195102	61.12	ug/l	0.00
Spiked Amount	50.000		Recovery	=	122.24%	
35) Dibromofluoromethane	7.72	113	185013	53.93	ug/l	0.00
Spiked Amount	50.000		Recovery	=	107.86%	
50) Toluene-d8	10.18	98	729008	57.15	ug/l	0.00
Spiked Amount	50.000		Recovery	=	114.30%	
62) 4-Bromofluorobenzene	12.48	95	229569	49.82	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.64%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY072220\
Data File : VY003292.D
Acq On : 22 Jul 2020 16:45
Operator : SY/MD
Sample : L3366-07RE
Misc : 7.15G/5ML/MSVOA Y/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SP-2ARE

Quant Time: Jul 23 06:18:31 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y071020S.M
Quant Title : SW846 8260
QLast Update : Fri Jul 10 13:18:03 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. 0.00 min

Lab File: VY003292.D

Acq: 22 Jul 2020 16:45

Instrument :

MSVOA_Y

ClientSampleId :


SP-2ARE

Tot Ion:168 Resp: 378190

Ion Ratio Lower Upper

168 100

99 50.0 37.3 55.9



Abundance Ion 167.90 (167.60 to 168.60): VY003292.D (-945) (-)

Ion 98.90 (98.60 to 99.60): VY003292.D (-945) (-)

7.80



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 61.121 ug/l

RT: 8.14 min Scan# 1051

Delta R.T. 0.00 min

Lab File: VY003292.D


Acq: 22 Jul 2020 16:45

Tgt Ion: 65 Resp: 195102

Ion Ratio Lower Upper

65 100

67 52.8 0.0 105.2



Abundance Ion 64.90 (64.60 to 65.60): VY003292.D (-1002) (-)

Ion 66.90 (66.60 to 67.60): VY003292.D (-1002) (-)

8.14

100000

80000


60000


40000

20000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.69 min Scan# 1141
 Delta R.T. 0.00 min
 Lab File: VY003292.D
 Acq: 22 Jul 2020 16:45




Instrument :
 MSVOA_Y
 ClientSampleId :
 SP-2ARE


Tot Ion	Ratio	Lower	Upper
114	100		
63	19.8	0.0	41.2
88	14.1	0.0	30.2



#35
 Dibromofluoromethane
 Concen: 53.927 ug/l
 RT: 7.72 min Scan# 982
 Delta R.T. 0.00 min
 Lab File: VY003292.D
 Acq: 22 Jul 2020 16:45

Tgt Ion	Ratio	Lower	Upper
113	100		
111	101.7	82.1	123.1
192	23.0	18.8	28.2





#50

Toluene-d8

Concen: 57.154 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. 0.00 min

Lab File: VY003292.D

Acq: 22 Jul 2020 16:45

Instrument :

MSVOA_Y

ClientSampleId :





SP-2ARE

Tot Ion: 98 Resp: 729008

Ion Ratio Lower Upper

98 100

100 63.3 50.7 76.1



#62

4-Bromofluorobenzene

Concen: 49.820 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. 0.00 min

Lab File: VY003292.D

Acq: 22 Jul 2020 16:45




Tgt Ion: 95 Resp: 229569


Ion Ratio Lower Upper

95 100

174 96.2 0.0 190.6

176 94.6 0.0 186.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. 0.00 min
Lab File: VY003292.D
Acq: 22 Jul 2020 16:45

Instrument :
MSVOA_Y
ClientSampleId :
SP-2ARE

Tot Ion:117 Resp: 547765
Ion Ratio Lower Upper
117 100
82 53.3 42.0 63.0
119 31.8 25.5 38.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. 0.00 min
Lab File: VY003292.D
Acq: 22 Jul 2020 16:45

Tgt Ion:152 Resp: 269113
Ion Ratio Lower Upper
152 100
115 54.9 26.9 80.7
150 157.3 0.0 338.0

