

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY072220\
 Data File : VY003300.D
 Acq On : 22 Jul 2020 19:57
 Operator : SY/MD
 Sample : L3308-16
 Misc : 5.02G/5ML/MSVOA Y/SOIL
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 16

Quant Time: Jul 23 06:30:45 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y071020S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 10 13:18:03 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	387845	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	598388	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	557826	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	273590	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.14	65	195370	59.68	ug/l	0.00
Spiked Amount 50.000			Recovery	=	119.36%	
35) Dibromofluoromethane	7.72	113	186458	54.15	ug/l	0.00
Spiked Amount 50.000			Recovery	=	108.30%	
50) Toluene-d8	10.18	98	729986	57.02	ug/l	0.00
Spiked Amount 50.000			Recovery	=	114.04%	
62) 4-Bromofluorobenzene	12.48	95	238320	51.53	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.06%	
Target Compounds						
20) Methylene Chloride	4.73	84	43904	7.233	ug/l	Qvalue 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY072220\
Data File : VY003300.D
Acq On : 22 Jul 2020 19:57
Operator : SY/MD
Sample : L3308-16
Misc : 5.02G/5ML/MSVOA Y/SOIL
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
16

Quant Time: Jul 23 06:30:45 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y071020S.M
Quant Title : SW846 8260
QLast Update : Fri Jul 10 13:18:03 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. 0.00 min

Lab File: VY003300.D

Acq: 22 Jul 2020 19:57

Instrument :

MSVOA_Y

ClientSampled :


16

Tot Ion:168 Resp: 387845

Ion Ratio Lower Upper

168 100

99 48.4 37.3 55.9



Abundance Ion 167.90 (167.60 to 168.60): VY003300.D (-945) (-)

Ion 98.90 (98.60 to 99.60): VY003300.D (-945) (-)

7.80



150000

100000

50000

0

Time-->



#20

Methylene Chloride

Concen: 7.233 ug/l

RT: 4.73 min Scan# 491

Delta R.T. 0.01 min

Lab File: VY003300.D

Acq: 22 Jul 2020 19:57

Tgt Ion: 84 Resp: 43904


Ion Ratio Lower Upper

84 100

49 103.9 98.2 147.4

51 32.4 29.8 44.6

86 58.9 51.2 76.8



Abundance Ion 83.90 (83.60 to 84.60): VY003300.D (-441) (-)

Ion 48.90 (48.60 to 49.60): VY003300.D (-441) (-)

Ion 50.90 (50.60 to 51.60): VY003300.D (-441) (-)

Ion 85.90 (85.60 to 86.60): VY003300.D (-441) (-)

4.73

25000

20000


15000


10000

5000

0

Time-->









#33
 1,2-Dichloroethane-d4
 Concen: 59.681 ug/l
 RT: 8.14 min Scan# 1051
 Delta R.T. 0.00 min
 Lab File: VY003300.D
 Acq: 22 Jul 2020 19:57




Instrument :
 MSVOA_Y
 ClientSampleId :
 16


Tot Ion: 65 Resp: 195370
 Ion Ratio Lower Upper
 65 100
 67 53.6 0.0 105.2



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.69 min Scan# 1141
 Delta R.T. 0.00 min
 Lab File: VY003300.D
 Acq: 22 Jul 2020 19:57

Tgt Ion: 114 Resp: 598388
 Ion Ratio Lower Upper
 114 100
 63 19.2 0.0 41.2
 88 13.9 0.0 30.2









#35
 Dibromofluoromethane
 Concen: 54.147 ug/l
 RT: 7.72 min Scan# 982
 Delta R.T. 0.00 min
 Lab File: VY003300.D
 Acq: 22 Jul 2020 19:57




Instrument :
 MSVOA_Y
 ClientSampleId :
 16


Tot Ion	Ratio	Lower	Upper
113	100		
111	102.2	82.1	123.1
192	22.8	18.8	28.2



#50
 Toluene-d8
 Concen: 57.018 ug/l
 RT: 10.18 min Scan# 1385
 Delta R.T. 0.00 min
 Lab File: VY003300.D
 Acq: 22 Jul 2020 19:57

Tgt Ion	Ratio	Lower	Upper
98	100		
100	63.7	50.7	76.1





#62

4-Bromofluorobenzene

Concen: 51.528 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. 0.00 min

Lab File: VY003300.D

Acq: 22 Jul 2020 19:57

Instrument :

MSVOA_Y

ClientSampleId :

16


Tot Ion: 95 Resp: 238320

Ion Ratio Lower Upper

95 100

174 95.0 0.0 190.6




176 92.3 0.0 186.4



Abundance Ion 94.90 (94.60 to 95.60): VY003300.D (-1713) (-)

Ion 173.80 (173.50 to 174.50): VY003300.D (-1713) (-)

Ion 175.80 (175.50 to 176.50): VY003300.D (-1713) (-)



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.49 min Scan# 1600

Delta R.T. 0.00 min

Lab File: VY003300.D

Acq: 22 Jul 2020 19:57


Tgt Ion: 117 Resp: 557826

Ion Ratio Lower Upper

117 100

82 51.5 42.0 63.0



119 32.1 25.5 38.3




Abundance Ion 116.90 (116.60 to 117.60): VY003300.D (-1551) (-)

Ion 82.00 (81.70 to 82.70): VY003300.D (-1551) (-)

Ion 118.90 (118.60 to 119.60): VY003300.D (-1551) (-)





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.42 min Scan# 1917

Delta R.T. 0.00 min

Lab File: VY003300.D


Acq: 22 Jul 2020 19:57

Instrument :

MSVOA_Y

ClientSampleId :

16




Tot Ion:152 Resp: 273590

Ion Ratio Lower Upper

152 100

115 54.3 26.9 80.7

150 155.5 0.0 338.0



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

