

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102122\
 Data File : VY011038.D
 Acq On : 21 Oct 2022 10:00
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 22 01:20:16 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y101722S.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 18 01:42:42 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	101	0.00
2 T	Dichlorodifluoromethane	0.332	0.306	7.8	97	0.00
3 P	Chloromethane	0.476	0.420	11.8	94	0.00
4 C	Vinyl Chloride	0.539	0.529	1.9#	101	0.00
5 T	Bromomethane	0.373	0.366	1.9	109	0.01
6 T	Chloroethane	0.360	0.367	-1.9	106	0.00
7 T	Trichlorofluoromethane	0.789	0.819	-3.8	108	0.01
8 T	Diethyl Ether	0.295	0.282	4.4	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.495	0.511	-3.2	106	0.01
10 T	Methyl Iodide	0.606	0.639	-5.4	103	0.00
11 T	Tert butyl alcohol	0.062	0.049	21.0	100	0.00
12 CM	1,1-Dichloroethene	0.474	0.466	1.7#	101	0.00
13 T	Acrolein	0.074	0.051	31.1#	69	0.00
14 T	Allyl chloride	0.752	0.742	1.3	100	0.01
15 T	Acrylonitrile	0.154	0.145	5.8	95	0.00
16 T	Acetone	0.134	0.135	-0.7	104	0.00
17 T	Carbon Disulfide	1.391	1.138	18.2	87	0.01
18 T	Methyl Acetate	0.428	0.338	21.0	93	0.00
19 T	Methyl tert-butyl Ether	1.325	1.397	-5.4	105	0.00
20 T	Methylene Chloride	0.761	0.563	26.0#	99	0.00
21 T	trans-1,2-Dichloroethene	0.535	0.532	0.6	102	0.00
22 T	Diisopropyl ether	1.611	1.700	-5.5	104	0.00
23 T	Vinyl Acetate	0.963	1.011	-5.0	100	0.00
24 P	1,1-Dichloroethane	0.973	1.014	-4.2	106	0.00
25 T	2-Butanone	0.203	0.190	6.4	96	0.00
26 T	2,2-Dichloropropane	0.864	0.937	-8.4	112	0.00
27 T	cis-1,2-Dichloroethene	0.617	0.647	-4.9	106	0.00
28 T	Bromochloromethane	0.303	0.362	-19.5	97	0.00
29 T	Tetrahydrofuran	0.125	0.115	8.0	92	0.00
30 C	Chloroform	0.980	1.052	-7.3#	108	0.00
31 T	Cyclohexane	0.881	0.809	8.2	98	0.00
32 T	1,1,1-Trichloroethane	0.862	0.927	-7.5	109	0.00
33 S	1,2-Dichloroethane-d4	0.461	0.418	9.3	95	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	98	0.00
35 S	Dibromofluoromethane	0.304	0.279	8.2	99	0.01
36 T	1,1-Dichloropropene	0.465	0.481	-3.4	103	0.00
37 T	Ethyl Acetate	0.258	0.254	1.6	96	0.00
38 T	Carbon Tetrachloride	0.480	0.519	-8.1	107	0.00
39 T	Methylcyclohexane	0.557	0.573	-2.9	102	0.00
40 TM	Benzene	1.366	1.415	-3.6	103	0.00
41 T	Methacrylonitrile	0.140	0.130	7.1	101	0.00
42 TM	1,2-Dichloroethane	0.378	0.400	-5.8	104	0.00
43 T	Isopropyl Acetate	0.460	0.467	-1.5	99	0.00
44 TM	Trichloroethene	0.370	0.388	-4.9	105	0.00
45 C	1,2-Dichloropropane	0.347	0.363	-4.6#	102	0.00
46 T	Dibromomethane	0.193	0.202	-4.7	103	0.00
47 T	Bromodichloromethane	0.466	0.510	-9.4	106	0.00
48 T	Methyl methacrylate	0.206	0.210	-1.9	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102122\
 Data File : VY011038.D
 Acq On : 21 Oct 2022 10:00
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 22 01:20:16 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y101722S.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 18 01:42:42 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	94	0.00
50 S	Toluene-d8	1.044	0.966	7.5	92	0.00
51 T	4-Methyl-2-Pentanone	0.257	0.254	1.2	95	0.00
52 CM	Toluene	0.848	0.908	-7.1#	104	0.00
53 T	t-1,3-Dichloropropene	0.484	0.520	-7.4	104	0.00
54 T	cis-1,3-Dichloropropene	0.554	0.597	-7.8	104	0.00
55 T	1,1,2-Trichloroethane	0.279	0.295	-5.7	104	0.00
56 T	Ethyl methacrylate	0.370	0.400	-8.1	101	0.00
57 T	1,3-Dichloropropane	0.479	0.502	-4.8	102	0.00
58 T	2-Chloroethyl Vinyl ether	0.164	0.193	-17.7	98	0.00
59 T	2-Hexanone	0.176	0.179	-1.7	96	0.00
60 T	Dibromochloromethane	0.332	0.358	-7.8	105	0.00
61 T	1,2-Dibromoethane	0.267	0.276	-3.4	102	0.00
62 S	4-Bromofluorobenzene	0.418	0.365	12.7	98	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
64 T	Tetrachloroethene	0.389	0.417	-7.2	105	0.00
65 PM	Chlorobenzene	1.027	1.116	-8.7	106	0.00
66 T	1,1,1,2-Tetrachloroethane	0.380	0.424	-11.6	108	0.00
67 C	Ethyl Benzene	1.816	2.023	-11.4#	106	0.00
68 T	m/p-Xylenes	0.699	0.774	-10.7	106	0.00
69 T	o-Xylene	0.663	0.745	-12.4	107	0.00
70 T	Styrene	1.124	1.267	-12.7	106	0.00
71 P	Bromoform	0.234	0.256	-9.4	105	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	96	0.00
73 T	Isopropylbenzene	3.633	4.165	-14.6	109	0.00
74 T	N-amyl acetate	0.922	0.973	-5.5	98	0.00
75 P	1,1,2,2-Tetrachloroethane	0.762	0.789	-3.5	101	0.00
76 T	1,2,3-Trichloropropane	0.568	0.622	-9.5	107	0.00
77 T	Bromobenzene	0.849	0.933	-9.9	106	0.00
78 T	n-propylbenzene	4.420	5.016	-13.5	107	0.00
79 T	2-Chlorotoluene	2.489	2.780	-11.7	107	0.00
80 T	1,3,5-Trimethylbenzene	3.031	3.465	-14.3	108	0.00
81 T	trans-1,4-Dichloro-2-butene	0.264	0.283	-7.2	100	0.00
82 T	4-Chlorotoluene	2.592	2.843	-9.7	105	0.00
83 T	tert-Butylbenzene	2.621	3.124	-19.2	111	0.00
84 T	1,2,4-Trimethylbenzene	2.989	3.415	-14.3	107	0.00
85 T	sec-Butylbenzene	3.938	4.534	-15.1	108	0.00
86 T	p-Isopropyltoluene	3.267	3.781	-15.7	108	0.00
87 T	1,3-Dichlorobenzene	1.695	1.888	-11.4	108	0.00
88 T	1,4-Dichlorobenzene	1.685	1.848	-9.7	106	0.00
89 T	n-Butylbenzene	3.053	3.575	-17.1	109	0.00
90 T	Hexachloroethane	0.645	0.725	-12.4	108	0.00
91 T	1,2-Dichlorobenzene	1.516	1.671	-10.2	106	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.126	0.123	2.4	97	0.00
93 T	1,2,4-Trichlorobenzene	0.906	1.021	-12.7	106	0.00
94 T	Hexachlorobutadiene	0.533	0.606	-13.7	110	0.00
95 T	Naphthalene	1.845	2.048	-11.0	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102122\
Data File : VY011038.D
Acq On : 21 Oct 2022 10:00
Operator : KP/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Oct 22 01:20:16 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y101722S.M
Quant Title : SW846 8260
QLast Update : Tue Oct 18 01:42:42 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.791	0.884	-11.8	105	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6