

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY102219\
 Data File : VY000366.D
 Acq On : 22 Oct 2019 16:07
 Operator : SY/MD
 Sample : K5489-04
 Misc : 7.36G/5ML/MSVOA Y/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SECONDARY-PILE-SLP

Quant Time: Oct 23 08:35:07 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 17 02:03:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	245232	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	413606	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	360328	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	163815	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.16	65	139184	53.81	ug/l	0.00
Spiked Amount	50.000		Recovery	=	107.62%	
35) Dibromofluoromethane	7.74	113	117075	46.93	ug/l	0.00
Spiked Amount	50.000		Recovery	=	93.86%	
50) Toluene-d8	10.19	98	475551	49.55	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.10%	
62) 4-Bromofluorobenzene	12.48	95	162898	44.68	ug/l	0.00
Spiked Amount	50.000		Recovery	=	89.36%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY102219\
Data File : VY000366.D
Acq On : 22 Oct 2019 16:07
Operator : SY/MD
Sample : K5489-04
Misc : 7.36G/5ML/MSVOA Y/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SECONDARY-PILE-SLP

Quant Time: Oct 23 08:35:07 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 17 02:03:07 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.00 min

Lab File: VY000366.D

Acq: 22 Oct 2019 16:07

Instrument :

MSVOA_Y

ClientSampleId :


SECONDARY-PILE-SLP

Tot Ion:168 Resp: 245232

Ion Ratio Lower Upper

168 100

99 51.3 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VY000268.D (-984) (-)

Ion 98.90 (98.60 to 99.60): VY000268.D (-984) (-)

7.80

120000

100000

80000



60000

40000

20000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 53.805 ug/l

RT: 8.16 min Scan# 1053

Delta R.T. -0.00 min

Lab File: VY000366.D


Acq: 22 Oct 2019 16:07

Tgt Ion: 65 Resp: 139184

Ion Ratio Lower Upper

65 100

67 52.0 0.0 109.4



Abundance Ion 64.90 (64.60 to 65.60): VY000268.D (-1042) (-)

Ion 66.90 (66.60 to 67.60): VY000268.D (-1042) (-)

8.16


60000


40000

20000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.70 min Scan# 1142

Delta R.T. -0.01 min

Lab File: VY000366.D

Acq: 22 Oct 2019 16:07

Instrument :

MSVOA_Y

ClientSampleId :

SECONDARY-PILE-SLP


Tot Ion:114 Resp: 413606

Ion Ratio Lower Upper

114 100

63 19.3 0.0 37.2




88 14.7 0.0 30.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 46.926 ug/l

RT: 7.74 min Scan# 984

Delta R.T. 0.01 min

Lab File: VY000366.D

Acq: 22 Oct 2019 16:07


Tgt Ion:113 Resp: 117075

Ion Ratio Lower Upper

113 100

111 103.5 81.6 122.4



192 20.0 15.3 22.9




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.551 ug/l

RT: 10.19 min Scan# 1386

Delta R.T. -0.00 min

Lab File: VY000366.D

Acq: 22 Oct 2019 16:07

Instrument :

MSVOA_Y

ClientSampleId :


SECONDARY-PILE-SLP

Tot Ion: 98 Resp: 475551

Ion Ratio Lower Upper




98 100

100 65.2 52.8 79.2



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY



#62

4-Bromofluorobenzene

Concen: 44.677 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.01 min

Lab File: VY000366.D

Acq: 22 Oct 2019 16:07


Tgt Ion: 95 Resp: 162898

Ion Ratio Lower Upper

95 100

174 80.3 0.0 159.6



176 78.3 0.0 153.8




Abundance Ion 94.90 (94.60 to 95.60): VY0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.01 min
Lab File: VY000366.D
Acq: 22 Oct 2019 16:07

Instrument :
MSVOA_Y
ClientSampleId :
SECONDARY-PILE-SLP

Tot Ion:117 Resp: 360328
Ion Ratio Lower Upper
117 100
82 54.8 43.7 65.5
119 32.0 26.6 39.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.01 min
Lab File: VY000366.D
Acq: 22 Oct 2019 16:07

Tgt Ion:152 Resp: 163815
Ion Ratio Lower Upper
152 100
115 58.9 29.3 88.0
150 159.6 0.0 348.4

