

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY102219\
 Data File : VY000374.D
 Acq On : 22 Oct 2019 19:11
 Operator : SY/MD
 Sample : K5494-07
 Misc : 8.14G/5ML/MSVOA Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP92-2FT

Quant Time: Oct 23 09:11:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 17 02:03:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	240665	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	408391	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	346525	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	137168	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.16	65	135782	53.49	ug/l	0.00
Spiked Amount			Recovery	=	106.98%	
35) Dibromofluoromethane	7.73	113	116248	47.19	ug/l	0.00
Spiked Amount			Recovery	=	94.38%	
50) Toluene-d8	10.19	98	468361	49.42	ug/l	0.00
Spiked Amount			Recovery	=	98.84%	
62) 4-Bromofluorobenzene	12.49	95	141414	39.28	ug/l	0.00
Spiked Amount			Recovery	=	78.56%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY102219\
Data File : VY000374.D
Acq On : 22 Oct 2019 19:11
Operator : SY/MD
Sample : K5494-07
Misc : 8.14G/5ML/MSVOA Y/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP92-2FT

Quant Time: Oct 23 09:11:58 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 17 02:03:07 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.00 min

Lab File: VY000374.D

Acq: 22 Oct 2019 19:11

Instrument :

MSVOA_Y

ClientSampleId :


TP92-2FT

Tot Ion:168 Resp: 240665

Ion Ratio Lower Upper




168 100

99 52.0 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VY000374.D (-946) (-)

Ion 98.90 (98.60 to 99.60): VY000374.D (-946) (-)



#33

1,2-Dichloroethane-d4

Concen: 53.486 ug/l

RT: 8.16 min Scan# 1053

Delta R.T. 0.00 min

Lab File: VY000374.D


Acq: 22 Oct 2019 19:11

Tgt Ion: 65 Resp: 135782

Ion Ratio Lower Upper



65 100


67 53.0 0.0 109.4



Abundance Ion 64.90 (64.60 to 65.60): VY000374.D (-1004) (-)

Ion 66.90 (66.60 to 67.60): VY000374.D (-1004) (-)









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.70 min Scan# 1142
 Delta R.T. -0.01 min
 Lab File: VY000374.D
 Acq: 22 Oct 2019 19:11

Instrument :
 MSVOA_Y
 ClientSampled :
 TP92-2FT

Tot Ion:114 Resp: 408391
 Ion Ratio Lower Upper
 114 100
 63 20.0 0.0 37.2
 88 15.2 0.0 30.2




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VY0
 Ion 87.90 (87.60 to 88.60): VY0






#35
 Dibromofluoromethane
 Concen: 47.189 ug/l
 RT: 7.73 min Scan# 983
 Delta R.T. 0.00 min
 Lab File: VY000374.D
 Acq: 22 Oct 2019 19:11

Tgt Ion:113 Resp: 116248
 Ion Ratio Lower Upper
 113 100
 111 103.7 81.6 122.4
 192 20.3 15.3 22.9



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.425 ug/l

RT: 10.19 min Scan# 1386

Delta R.T. 0.00 min

Lab File: VY000374.D

Acq: 22 Oct 2019 19:11

Instrument :

MSVOA_Y

ClientSampleId :





TP92-2FT

Tot Ion: 98 Resp: 468361

Ion Ratio Lower Upper

98 100

100 66.0 52.8 79.2



#62

4-Bromofluorobenzene

Concen: 39.280 ug/l

RT: 12.49 min Scan# 1763

Delta R.T. 0.00 min

Lab File: VY000374.D

Acq: 22 Oct 2019 19:11




Tgt Ion: 95 Resp: 141414


Ion Ratio Lower Upper

95 100

174 82.7 0.0 159.6

176 82.7 0.0 153.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.01 min
Lab File: VY000374.D
Acq: 22 Oct 2019 19:11

Instrument :
MSVOA_Y
ClientSampleId :
TP92-2FT

Tot Ion:117 Resp: 346525
Ion Ratio Lower Upper
117 100
82 55.0 43.7 65.5
119 31.3 26.6 39.8




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.01 min
Lab File: VY000374.D
Acq: 22 Oct 2019 19:11

Tgt Ion:152 Resp: 137168
Ion Ratio Lower Upper
152 100
115 58.6 29.3 88.0
150 157.4 0.0 348.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

