

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102521\
 Data File : VY006464.D
 Acq On : 25 Oct 2021 14:16
 Operator : SY/MD
 Sample : M4300-01
 Misc : 2.87G/5ML/MSVOA_Y/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TH-CS

Quant Time: Oct 26 02:43:48 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y102221S.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 23 06:59:04 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	9492	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	13378	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.495	117	10927	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	3773	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.148	65	5491	47.010	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	94.020%
35) Dibromofluoromethane	7.728	113	2066	27.707	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	55.420%
50) Toluene-d8	10.185	98	15772	49.897	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	99.800%
62) 4-Bromofluorobenzene	12.483	95	3998	37.547	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	75.100%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102521\
Data File : VY006464.D
Acq On : 25 Oct 2021 14:16
Operator : SY/MD
Sample : M4300-01
Misc : 2.87G/5ML/MSVOA_Y/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TH-CS

Quant Time: Oct 26 02:43:48 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y102221S.M
Quant Title : SW846 8260
QLast Update : Sat Oct 23 06:59:04 2021
Response via : Initial Calibration

