

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY102819\
 Data File : VY000448.D
 Acq On : 28 Oct 2019 12:31
 Operator : SY/MD
 Sample : VY1028SBL01
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY1028SBL01

Quant Time: Oct 29 10:10:18 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 17 02:03:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	209633	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	361824	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	324463	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	143385	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	125095	56.57	ug/l	0.00
Spiked Amount	50.000		Recovery	=	113.14%	
35) Dibromofluoromethane	7.73	113	107964	49.47	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.94%	
50) Toluene-d8	10.18	98	413027	49.19	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.38%	
62) 4-Bromofluorobenzene	12.48	95	139704	43.80	ug/l	0.00
Spiked Amount	50.000		Recovery	=	87.60%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY102819\
Data File : VY000448.D
Acq On : 28 Oct 2019 12:31
Operator : SY/MD
Sample : VY1028SBL01
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY1028SBL01

Quant Time: Oct 29 10:10:18 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 17 02:03:07 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. -0.01 min

Lab File: VY000448.D

Acq: 28 Oct 2019 12:31

Instrument :

MSVOA_Y

ClientSampleId :


VY1028SBL01

Tot Ion:168 Resp: 209633

Ion Ratio Lower Upper

168 100

99 55.4 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VY000268.D (-984) (-)

Ion 98.90 (98.60 to 99.60): VY000268.D (-984) (-)

7.80

100000

80000



60000

40000

20000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 56.571 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. -0.01 min

Lab File: VY000448.D


Acq: 28 Oct 2019 12:31

Tgt Ion: 65 Resp: 125095

Ion Ratio Lower Upper

65 100

67 53.1 0.0 109.4



Abundance Ion 64.90 (64.60 to 65.60): VY000268.D (-1042) (-)

Ion 66.90 (66.60 to 67.60): VY000268.D (-1042) (-)

8.15


60000


40000

20000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.70 min Scan# 1142

Delta R.T. -0.01 min

Lab File: VY000448.D

Acq: 28 Oct 2019 12:31

Instrument :

MSVOA_Y

ClientSampleId :

VY1028SBL01


Tot Ion:114 Resp: 361824

Ion Ratio Lower Upper

114 100

63 19.8 0.0 37.2




88 15.4 0.0 30.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 49.467 ug/l

RT: 7.73 min Scan# 983

Delta R.T. -0.00 min

Lab File: VY000448.D

Acq: 28 Oct 2019 12:31


Tgt Ion:113 Resp: 107964

Ion Ratio Lower Upper

113 100

111 103.6 81.6 122.4



192 19.5 15.3 22.9




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.195 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.01 min

Lab File: VY000448.D

Acq: 28 Oct 2019 12:31

Instrument :

MSVOA_Y

ClientSampleId :





VY1028SBL01

Tot Ion: 98 Resp: 413027

Ion Ratio Lower Upper

98 100

100 67.6 52.8 79.2



#62

4-Bromofluorobenzene

Concen: 43.799 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.01 min

Lab File: VY000448.D

Acq: 28 Oct 2019 12:31




Tgt Ion: 95 Resp: 139704


Ion Ratio Lower Upper

95 100

174 83.6 0.0 159.6

176 81.1 0.0 153.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.01 min
Lab File: VY000448.D
Acq: 28 Oct 2019 12:31

Instrument :
MSVOA_Y
ClientSampled :
VY1028SBL01

Tot Ion:117 Resp: 324463
Ion Ratio Lower Upper
117 100
82 52.2 43.7 65.5
119 30.5 26.6 39.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.01 min
Lab File: VY000448.D
Acq: 28 Oct 2019 12:31

Tgt Ion:152 Resp: 143385
Ion Ratio Lower Upper
152 100
115 58.2 29.3 88.0
150 157.5 0.0 348.4

