

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY102819\
 Data File : VY000453.D
 Acq On : 28 Oct 2019 14:38
 Operator : SY/MD
 Sample : K5564-04
 Misc : 4.92G/5ML/MSVOA Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CSA-2-1-2-2

Quant Time: Oct 29 10:21:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 17 02:03:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	204433	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	350167	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	300426	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	127606	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.16	65	119233	55.29	ug/l	0.00
Spiked Amount	50.000		Recovery	=	110.58%	
35) Dibromofluoromethane	7.73	113	104147	49.31	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.62%	
50) Toluene-d8	10.18	98	400012	49.23	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.46%	
62) 4-Bromofluorobenzene	12.48	95	124505	40.33	ug/l	0.00
Spiked Amount	50.000		Recovery	=	80.66%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY102819\
Data File : VY000453.D
Acq On : 28 Oct 2019 14:38
Operator : SY/MD
Sample : K5564-04
Misc : 4.92G/5ML/MSVOA Y/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CSA-2-1-2-2

Quant Time: Oct 29 10:21:43 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 17 02:03:07 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.00 min

Lab File: VY000453.D

Acq: 28 Oct 2019 14:38

Instrument :

MSVOA_Y

ClientSampled :


CSA-2-1-2-2

Tot Ion:168 Resp: 204433




Ion Ratio Lower Upper

168 100

99 52.0 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VY000453.D (-946) (-)



#33

1,2-Dichloroethane-d4

Concen: 55.291 ug/l

RT: 8.16 min Scan# 1053

Delta R.T. -0.00 min

Lab File: VY000453.D


Acq: 28 Oct 2019 14:38

Tgt Ion: 65 Resp: 119233



Ion Ratio Lower Upper


65 100

67 51.8 0.0 109.4



Abundance Ion 64.90 (64.60 to 65.60): VY000453.D (-1004) (-)









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.70 min Scan# 1142
Delta R.T. -0.01 min
Lab File: VY000453.D
Acq: 28 Oct 2019 14:38

Instrument :
MSVOA_Y
ClientSampleId :
CSA-2-1-2-2

Tot Ion:114 Resp: 350167
Ion Ratio Lower Upper
114 100
63 19.9 0.0 37.2
88 15.6 0.0 30.2




Abundance Ion 113.90 (113.60 to 114.60): V
Ion 63.00 (62.70 to 63.70): VY0
Ion 87.90 (87.60 to 88.60): VY0






#35
Dibromofluoromethane
Concen: 49.306 ug/l
RT: 7.73 min Scan# 983
Delta R.T. -0.00 min
Lab File: VY000453.D
Acq: 28 Oct 2019 14:38

Tgt Ion:113 Resp: 104147
Ion Ratio Lower Upper
113 100
111 102.7 81.6 122.4
192 19.4 15.3 22.9



Abundance Ion 112.80 (112.50 to 113.50): V
Ion 110.80 (110.50 to 111.50): V
Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.231 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.01 min

Lab File: VY000453.D

Acq: 28 Oct 2019 14:38

Instrument :

MSVOA_Y

ClientSampleId :


CSA-2-1-2-2

Tot Ion: 98 Resp: 400012

Ion Ratio Lower Upper




98 100

100 67.3 52.8 79.2



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY



#62

4-Bromofluorobenzene

Concen: 40.334 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.01 min

Lab File: VY000453.D

Acq: 28 Oct 2019 14:38


Tgt Ion: 95 Resp: 124505

Ion Ratio Lower Upper

95 100

174 85.1 0.0 159.6



176 82.3 0.0 153.8




Abundance Ion 94.90 (94.60 to 95.60): VY0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.01 min
Lab File: VY000453.D
Acq: 28 Oct 2019 14:38

Instrument :
MSVOA_Y
ClientSampleId :
CSA-2-1-2-2

Tot Ion:117 Resp: 300426
Ion Ratio Lower Upper
117 100
82 52.0 43.7 65.5
119 31.6 26.6 39.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.01 min
Lab File: VY000453.D
Acq: 28 Oct 2019 14:38

Tgt Ion:152 Resp: 127606
Ion Ratio Lower Upper
152 100
115 57.2 29.3 88.0
150 156.8 0.0 348.4

