

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY102819\
 Data File : VY000457.D
 Acq On : 28 Oct 2019 16:10
 Operator : SY/MD
 Sample : K5576-04
 Misc : 5.20G/5ML/MSVOA Y/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CSA-2-1-5-2

Quant Time: Oct 29 10:31:12 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 17 02:03:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	190459	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	330451	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	276656	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	101227	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	112605	56.05	ug/l	0.00
Spiked Amount	50.000		Recovery	=	112.10%	
35) Dibromofluoromethane	7.73	113	97033	48.68	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.36%	
50) Toluene-d8	10.18	98	375883	49.02	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.04%	
62) 4-Bromofluorobenzene	12.48	95	109682	37.65	ug/l	0.00
Spiked Amount	50.000		Recovery	=	75.30%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY102819\
Data File : VY000457.D
Acq On : 28 Oct 2019 16:10
Operator : SY/MD
Sample : K5576-04
Misc : 5.20G/5ML/MSVOA Y/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CSA-2-1-5-2

Quant Time: Oct 29 10:31:12 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 17 02:03:07 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.00 min

Lab File: VY000457.D

Acq: 28 Oct 2019 16:10

Instrument :

MSVOA_Y

ClientSampleId :


CSA-2-1-5-2

Tot Ion:168 Resp: 190459

Ion Ratio Lower Upper




168 100

99 51.9 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VY000457.D (-946) (-)

Ion 98.90 (98.60 to 99.60): VY000457.D (-946) (-)



#33

1,2-Dichloroethane-d4

Concen: 56.049 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. -0.01 min

Lab File: VY000457.D


Acq: 28 Oct 2019 16:10

Tgt Ion: 65 Resp: 112605

Ion Ratio Lower Upper



65 100


67 53.2 0.0 109.4



Abundance Ion 64.90 (64.60 to 65.60): VY000457.D (-1004) (-)

Ion 66.90 (66.60 to 67.60): VY000457.D (-1004) (-)









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.70 min Scan# 1142
 Delta R.T. -0.01 min
 Lab File: VY000457.D
 Acq: 28 Oct 2019 16:10

Instrument :
 MSVOA_Y
 ClientSampleId :
 CSA-2-1-5-2

Tot Ion	Ratio	Lower	Upper
114	100		
63	20.1	0.0	37.2
88	14.9	0.0	30.2




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VY0
 Ion 87.90 (87.60 to 88.60): VY0






#35
 Dibromofluoromethane
 Concen: 48.679 ug/l
 RT: 7.73 min Scan# 983
 Delta R.T. -0.00 min
 Lab File: VY000457.D
 Acq: 28 Oct 2019 16:10

Tgt Ion	Ratio	Lower	Upper
113	100		
111	102.7	81.6	122.4
192	19.8	15.3	22.9



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.021 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.01 min

Lab File: VY000457.D

Acq: 28 Oct 2019 16:10

Instrument :

MSVOA_Y

ClientSampleId :





CSA-2-1-5-2

Tot Ion: 98 Resp: 375883

Ion Ratio Lower Upper

98 100

100 68.1 52.8 79.2



#62

4-Bromofluorobenzene

Concen: 37.652 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.01 min

Lab File: VY000457.D

Acq: 28 Oct 2019 16:10




Tgt Ion: 95 Resp: 109682


Ion Ratio Lower Upper

95 100

174 83.3 0.0 159.6

176 80.3 0.0 153.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.01 min
Lab File: VY000457.D
Acq: 28 Oct 2019 16:10

Instrument :
MSVOA_Y
ClientSampleId :
CSA-2-1-5-2

Tot Ion:117 Resp: 276656
Ion Ratio Lower Upper
117 100
82 53.8 43.7 65.5
119 32.1 26.6 39.8




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.01 min
Lab File: VY000457.D
Acq: 28 Oct 2019 16:10

Tgt Ion:152 Resp: 101227
Ion Ratio Lower Upper
152 100
115 59.5 29.3 88.0
150 161.6 0.0 348.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

