

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY102819\
 Data File : VY000460.D
 Acq On : 28 Oct 2019 17:20
 Operator : SY/MD
 Sample : K5576-10
 Misc : 4.70G/5ML/MSVOA Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CSA-2-1-8-2

Quant Time: Oct 29 10:35:21 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 17 02:03:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	181833	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.70	114	304999	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	252582	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	96555	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.16	65	106065	55.30	ug/l	0.00
Spiked Amount	50.000		Recovery	=	110.60%	
35) Dibromofluoromethane	7.74	113	92245	50.14	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.28%	
50) Toluene-d8	10.19	98	350640	49.55	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.10%	
62) 4-Bromofluorobenzene	12.48	95	103393	38.45	ug/l	0.00
Spiked Amount	50.000		Recovery	=	76.90%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY102819\
Data File : VY000460.D
Acq On : 28 Oct 2019 17:20
Operator : SY/MD
Sample : K5576-10
Misc : 4.70G/5ML/MSVOA Y/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CSA-2-1-8-2

Quant Time: Oct 29 10:35:21 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 17 02:03:07 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. -0.00 min

Lab File: VY000460.D

Acq: 28 Oct 2019 17:20

Instrument :

MSVOA_Y

ClientSampleId :


CSA-2-1-8-2

Tot Ion:168 Resp: 181833

Ion Ratio Lower Upper




168 100

99 54.6 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VY000460.D (-946) (-)

Ion 98.90 (98.60 to 99.60): VY000460.D (-946) (-)



#33

1,2-Dichloroethane-d4

Concen: 55.298 ug/l

RT: 8.16 min Scan# 1053

Delta R.T. -0.00 min

Lab File: VY000460.D


Acq: 28 Oct 2019 17:20

Tgt Ion: 65 Resp: 106065

Ion Ratio Lower Upper



65 100


67 51.9 0.0 109.4



Abundance Ion 64.90 (64.60 to 65.60): VY000460.D (-1004) (-)

Ion 66.90 (66.60 to 67.60): VY000460.D (-1004) (-)





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.70 min Scan# 1142

Delta R.T. -0.01 min

Lab File: VY000460.D

Acq: 28 Oct 2019 17:20

Instrument :

MSVOA_Y

ClientSampleId :

CSA-2-1-8-2


Tot Ion:114 Resp: 304999

Ion Ratio Lower Upper

114 100

63 21.3 0.0 37.2




88 15.4 0.0 30.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 50.139 ug/l

RT: 7.74 min Scan# 984

Delta R.T. 0.01 min

Lab File: VY000460.D

Acq: 28 Oct 2019 17:20


Tgt Ion:113 Resp: 92245

Ion Ratio Lower Upper

113 100

111 103.7 81.6 122.4



192 19.8 15.3 22.9




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.545 ug/l

RT: 10.19 min Scan# 1386

Delta R.T. -0.00 min

Lab File: VY000460.D

Acq: 28 Oct 2019 17:20

Instrument :

MSVOA_Y

ClientSampleId :





CSA-2-1-8-2

Tot Ion: 98 Resp: 350640

Ion Ratio Lower Upper

98 100

100 68.5 52.8 79.2



#62

4-Bromofluorobenzene

Concen: 38.455 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.01 min

Lab File: VY000460.D

Acq: 28 Oct 2019 17:20




Tgt Ion: 95 Resp: 103393


Ion Ratio Lower Upper

95 100

174 82.0 0.0 159.6

176 80.2 0.0 153.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.01 min
Lab File: VY000460.D
Acq: 28 Oct 2019 17:20

Instrument :
MSVOA_Y
ClientSampleId :
CSA-2-1-8-2

Tot Ion:117 Resp: 252582
Ion Ratio Lower Upper
117 100
82 53.6 43.7 65.5
119 33.0 26.6 39.8




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.01 min
Lab File: VY000460.D
Acq: 28 Oct 2019 17:20

Tgt Ion:152 Resp: 96555
Ion Ratio Lower Upper
152 100
115 59.0 29.3 88.0
150 159.2 0.0 348.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

