

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110122\
 Data File : VY011220.D
 Acq On : 01 Nov 2022 14:34
 Operator : KP/MD
 Sample : N5316-18
 Misc : 1.97g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TRIP-BLANK

Quant Time: Nov 01 14:47:50 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110122S.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 01 11:56:18 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	227031	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	383464	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	338167	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	154294	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	108922	44.859	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	89.720%
35) Dibromofluoromethane	7.716	113	117689	47.768	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	95.540%
50) Toluene-d8	10.179	98	440858	46.087	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	92.180%
62) 4-Bromofluorobenzene	12.477	95	142722	42.978	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	85.960%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110122\
Data File : VY011220.D
Acq On : 01 Nov 2022 14:34
Operator : KP/MD
Sample : N5316-18
Misc : 1.97g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TRIP-BLANK

Quant Time: Nov 01 14:47:50 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110122S.M
Quant Title : SW846 8260
QLast Update : Tue Nov 01 11:56:18 2022
Response via : Initial Calibration

