

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111022\
 Data File : VY011397.D
 Acq On : 10 Nov 2022 17:46
 Operator : KP/MD
 Sample : N5531-08
 Misc : 5.04g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-33

Quant Time: Nov 10 22:17:52 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111022S.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 10 17:47:26 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	8522	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.691	114	13561	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	10936	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	2791	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.137	65	6213	87.002	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	174.000%#
35) Dibromofluoromethane	7.710	113	3104	40.843	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	81.680%
50) Toluene-d8	10.179	98	19378	66.743	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	133.480%
62) 4-Bromofluorobenzene	12.477	95	4458	44.022	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	88.040%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111022\
Data File : VY011397.D
Acq On : 10 Nov 2022 17:46
Operator : KP/MD
Sample : N5531-08
Misc : 5.04g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB-33

Quant Time: Nov 10 22:17:52 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111022S.M
Quant Title : SW846 8260
QLast Update : Thu Nov 10 17:47:26 2022
Response via : Initial Calibration

