

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111522\
 Data File : VY011451.D
 Acq On : 15 Nov 2022 12:35
 Operator : KP/MD
 Sample : VY1115SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY1115SBL01

Quant Time: Nov 15 15:00:21 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111022S.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 10 17:47:26 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	245846	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	401129	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.495	117	357429	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	163024	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	99341	48.221	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	96.440%
35) Dibromofluoromethane	7.722	113	107270	47.718	ug/l	0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	95.440%
50) Toluene-d8	10.185	98	368588	42.918	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	85.840%
62) 4-Bromofluorobenzene	12.483	95	126588	42.260	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	84.520%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111522\
Data File : VY011451.D
Acq On : 15 Nov 2022 12:35
Operator : KP/MD
Sample : VY1115SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY1115SBL01

Quant Time: Nov 15 15:00:21 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111022S.M
Quant Title : SW846 8260
QLast Update : Thu Nov 10 17:47:26 2022
Response via : Initial Calibration

