

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112822\
 Data File : VY011598.D
 Acq On : 28 Nov 2022 13:13
 Operator : KP/MD
 Sample : N5762-05RE
 Misc : 5.03g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-1RE

Quant Time: Nov 29 00:25:21 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 19 22:37:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	6577	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	10931	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	10547	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	3804	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.143	65	4985	74.645	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	149.300%
35) Dibromofluoromethane	7.716	113	2576	38.282	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	76.560%
50) Toluene-d8	10.179	98	12785	52.285	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	104.560%
62) 4-Bromofluorobenzene	12.477	95	3971	43.923	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	87.840%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112822\
Data File : VY011598.D
Acq On : 28 Nov 2022 13:13
Operator : KP/MD
Sample : N5762-05RE
Misc : 5.03g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-1RE

Quant Time: Nov 29 00:25:21 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
Quant Title : SW846 8260
QLast Update : Sat Nov 19 22:37:14 2022
Response via : Initial Calibration

