

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120722\
 Data File : VY011732.D
 Acq On : 07 Dec 2022 14:40
 Operator : KP/MD
 Sample : N5900-01
 Misc : 5.01g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CL-02-120622

Quant Time: Dec 08 07:56:54 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 19 22:37:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	187362	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	345319	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	343962	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	152311	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	127515	67.026	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	134.060%
35) Dibromofluoromethane	7.716	113	115374	54.274	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.540%
50) Toluene-d8	10.179	98	421417	54.554	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	109.100%
62) 4-Bromofluorobenzene	12.483	95	144468	50.582	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	101.160%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120722\
Data File : VY011732.D
Acq On : 07 Dec 2022 14:40
Operator : KP/MD
Sample : N5900-01
Misc : 5.01g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CL-02-120622

Quant Time: Dec 08 07:56:54 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
Quant Title : SW846 8260
QLast Update : Sat Nov 19 22:37:14 2022
Response via : Initial Calibration

