

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY121222\
 Data File : VY011769.D
 Acq On : 12 Dec 2022 14:26
 Operator : KP/MD
 Sample : N5965-01
 Misc : 4.70g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-P

Quant Time: Dec 13 00:19:41 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y120922S.M
 Quant Title : SW846 8260
 QLast Update : Sat Dec 10 04:19:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	284379	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	483321	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	432337	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	200617	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	102139	52.913	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	105.820%
35) Dibromofluoromethane	7.715	113	105822	49.219	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	98.440%
50) Toluene-d8	10.178	98	315478	44.015	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	88.040%
62) 4-Bromofluorobenzene	12.483	95	122866	43.228	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	86.460%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY121222\
Data File : VY011769.D
Acq On : 12 Dec 2022 14:26
Operator : KP/MD
Sample : N5965-01
Misc : 4.70g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-P

Quant Time: Dec 13 00:19:41 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y120922S.M
Quant Title : SW846 8260
QLast Update : Sat Dec 10 04:19:59 2022
Response via : Initial Calibration

