

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020322\
 Data File : VY007366.D
 Acq On : 03 Feb 2022 09:40
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 04 08:38:20 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020222S.M
 Quant Title : SW846 8260
 QLast Update : Thu Feb 03 04:36:48 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2 T	Dichlorodifluoromethane	0.585	0.559	4.4	95	0.00
3 P	Chloromethane	0.717	0.648	9.6	94	0.00
4 C	Vinyl Chloride	0.690	0.670	2.9#	94	0.00
5 T	Bromomethane	0.418	0.424	-1.4	95	0.00
6 T	Chloroethane	0.424	0.401	5.4	90	0.00
7 T	Trichlorofluoromethane	1.119	1.066	4.7	91	0.00
8 T	Diethyl Ether	0.332	0.307	7.5	89	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.630	0.597	5.2	91	0.00
10 T	Methyl Iodide	0.679	0.693	-2.1	89	0.00
11 T	Tert butyl alcohol	0.092	0.057	38.0#	82	0.00
12 CM	1,1-Dichloroethene	0.582	0.561	3.6#	91	0.00
13 T	Acrolein	0.077	0.075	2.6	91	0.00
14 T	Allyl chloride	0.894	0.890	0.4	94	0.00
15 T	Acrylonitrile	0.156	0.145	7.1	90	0.00
16 T	Acetone	0.187	0.193	-3.2	85	0.00
17 T	Carbon Disulfide	1.827	1.758	3.8	91	0.00
18 T	Methyl Acetate	0.350	0.319	8.9	89	0.00
19 T	Methyl tert-butyl Ether	1.640	1.537	6.3	89	0.00
20 T	Methylene Chloride	0.653	0.591	9.5	91	0.00
21 T	trans-1,2-Dichloroethene	0.644	0.623	3.3	92	0.00
22 T	Diisopropyl ether	1.873	1.798	4.0	93	0.00
23 T	Vinyl Acetate	1.221	1.174	3.8	91	0.00
24 P	1,1-Dichloroethane	1.131	1.103	2.5	94	0.00
25 T	2-Butanone	0.226	0.218	3.5	85	0.00
26 T	2,2-Dichloropropane	1.082	1.043	3.6	91	0.00
27 T	cis-1,2-Dichloroethene	0.711	0.678	4.6	91	0.00
28 T	Bromochloromethane	0.442	0.435	1.6	94	0.00
29 T	Tetrahydrofuran	0.130	0.121	6.9	88	0.00
30 C	Chloroform	1.177	1.126	4.3#	92	0.00
31 T	Cyclohexane	1.122	1.049	6.5	93	0.00
32 T	1,1,1-Trichloroethane	1.094	1.055	3.6	92	0.00
33 S	1,2-Dichloroethane-d4	0.575	0.594	-3.3	99	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.321	0.332	-3.4	100	0.00
36 T	1,1-Dichloropropene	0.561	0.538	4.1	92	0.00
37 T	Ethyl Acetate	0.279	0.256	8.2	89	0.00
38 T	Carbon Tetrachloride	0.590	0.565	4.2	91	0.00
39 T	Methylcyclohexane	0.705	0.668	5.2	90	0.00
40 TM	Benzene	1.488	1.426	4.2	92	0.00
41 T	Methacrylonitrile	0.139	0.129	7.2	82	0.00
42 TM	1,2-Dichloroethane	0.452	0.426	5.8	90	0.00
43 T	Isopropyl Acetate	0.522	0.491	5.9	89	0.00
44 TM	Trichloroethene	0.402	0.381	5.2	91	0.00
45 C	1,2-Dichloropropane	0.367	0.351	4.4#	92	0.00
46 T	Dibromomethane	0.218	0.203	6.9	89	0.00
47 T	Bromodichloromethane	0.528	0.509	3.6	91	0.00
48 T	Methyl methacrylate	0.236	0.220	6.8	88	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020322\
 Data File : VY007366.D
 Acq On : 03 Feb 2022 09:40
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 04 08:38:20 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020222S.M
 Quant Title : SW846 8260
 QLast Update : Thu Feb 03 04:36:48 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	77	0.00
50 S	Toluene-d8	1.186	1.231	-3.8	100	0.00
51 T	4-Methyl-2-Pentanone	0.265	0.243	8.3	87	0.00
52 CM	Toluene	0.937	0.882	5.9#	90	0.00
53 T	t-1,3-Dichloropropene	0.551	0.521	5.4	89	0.00
54 T	cis-1,3-Dichloropropene	0.618	0.593	4.0	90	0.00
55 T	1,1,2-Trichloroethane	0.287	0.267	7.0	89	0.00
56 T	Ethyl methacrylate	0.398	0.374	6.0	88	0.00
57 T	1,3-Dichloropropane	0.508	0.467	8.1	88	0.00
58 T	2-Chloroethyl Vinyl ether	0.207	0.205	1.0	93	0.00
59 T	2-Hexanone	0.193	0.179	7.3	82	0.00
60 T	Dibromochloromethane	0.357	0.334	6.4	89	0.00
61 T	1,2-Dibromoethane	0.284	0.265	6.7	89	0.00
62 S	4-Bromofluorobenzene	0.403	0.406	-0.7	100	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	94	0.00
64 T	Tetrachloroethene	0.392	0.371	5.4	89	0.00
65 PM	Chlorobenzene	1.112	1.050	5.6	90	0.00
66 T	1,1,1,2-Tetrachloroethane	0.415	0.388	6.5	88	0.00
67 C	Ethyl Benzene	2.111	1.997	5.4#	90	0.00
68 T	m/p-Xylenes	0.782	0.747	4.5	90	0.00
69 T	o-Xylene	0.739	0.701	5.1	89	0.00
70 T	Styrene	1.218	1.179	3.2	90	0.00
71 P	Bromoform	0.229	0.210	8.3	85	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	94	0.00
73 T	Isopropylbenzene	4.570	4.358	4.6	90	0.00
74 T	N-amyl acetate	1.131	1.074	5.0	87	0.00
75 P	1,1,2,2-Tetrachloroethane	0.834	0.780	6.5	88	0.00
76 T	1,2,3-Trichloropropane	0.594	0.598	-0.7	90	0.00
77 T	Bromobenzene	0.963	0.901	6.4	89	0.00
78 T	n-propylbenzene	5.535	5.342	3.5	90	0.00
79 T	2-Chlorotoluene	3.064	2.941	4.0	90	0.00
80 T	1,3,5-Trimethylbenzene	3.728	3.615	3.0	90	0.00
81 T	trans-1,4-Dichloro-2-butene	0.297	0.279	6.1	84	0.00
82 T	4-Chlorotoluene	3.147	3.053	3.0	91	0.00
83 T	tert-Butylbenzene	3.245	3.126	3.7	90	0.00
84 T	1,2,4-Trimethylbenzene	3.670	3.541	3.5	90	0.00
85 T	sec-Butylbenzene	4.868	4.704	3.4	90	0.00
86 T	p-Isopropyltoluene	3.965	3.861	2.6	90	0.00
87 T	1,3-Dichlorobenzene	1.866	1.781	4.6	89	0.00
88 T	1,4-Dichlorobenzene	1.860	1.758	5.5	89	0.00
89 T	n-Butylbenzene	3.816	3.746	1.8	91	0.00
90 T	Hexachloroethane	0.749	0.727	2.9	90	0.00
91 T	1,2-Dichlorobenzene	1.643	1.526	7.1	88	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.136	0.118	13.2	81	0.00
93 T	1,2,4-Trichlorobenzene	0.973	0.900	7.5	85	0.00
94 T	Hexachlorobutadiene	0.539	0.511	5.2	87	0.00
95 T	Naphthalene	2.022	1.887	6.7	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020322\
Data File : VY007366.D
Acq On : 03 Feb 2022 09:40
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Feb 04 08:38:20 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020222S.M
Quant Title : SW846 8260
QLast Update : Thu Feb 03 04:36:48 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.821	0.762	7.2	87	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6