

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041522\
 Data File : VY008361.D
 Acq On : 15 Apr 2022 19:09
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 16 05:00:59 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y040822S.M
 Quant Title : SW846 8260
 QLast Update : Fri Apr 08 16:02:50 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	0.414	0.358	13.5	92	0.00
3 P	Chloromethane	0.537	0.497	7.4	96	0.00
4 C	Vinyl Chloride	0.712	0.705	1.0#	100	0.00
5 T	Bromomethane	0.644	0.635	1.4	112	0.00
6 T	Chloroethane	0.499	0.503	-0.8	102	0.00
7 T	Trichlorofluoromethane	0.848	0.830	2.1	99	0.00
8 T	Diethyl Ether	0.306	0.297	2.9	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.551	0.519	5.8	93	0.00
10 T	Methyl Iodide	0.546	0.530	2.9	82	0.00
11 T	Tert butyl alcohol	0.050	0.057	-14.0	115	0.00
12 CM	1,1-Dichloroethene	0.493	0.477	3.2#	96	0.00
13 T	Acrolein	0.040	0.031	22.5	60	0.00
14 T	Allyl chloride	0.644	0.648	-0.6	96	0.00
15 T	Acrylonitrile	0.150	0.158	-5.3	103	0.00
16 T	Acetone	0.113	0.109	3.5	91	0.00
17 T	Carbon Disulfide	1.301	1.090	16.2	85	0.00
18 T	Methyl Acetate	0.326	0.331	-1.5	107	0.00
19 T	Methyl tert-butyl Ether	1.522	1.613	-6.0	102	0.00
20 T	Methylene Chloride	0.777	0.673	13.4	104	0.00
21 T	trans-1,2-Dichloroethene	0.591	0.574	2.9	95	0.00
22 T	Diisopropyl ether	1.518	1.629	-7.3	101	0.00
23 T	Vinyl Acetate	0.984	1.083	-10.1	103	0.00
24 P	1,1-Dichloroethane	0.975	1.056	-8.3	104	0.00
25 T	2-Butanone	0.177	0.193	-9.0	107	0.00
26 T	2,2-Dichloropropane	0.898	0.961	-7.0	101	0.00
27 T	cis-1,2-Dichloroethene	0.701	0.731	-4.3	100	0.00
28 T	Bromochloromethane	0.374	0.413	-10.4	93	0.00
29 T	Tetrahydrofuran	0.114	0.126	-10.5	108	0.00
30 C	Chloroform	1.088	1.171	-7.6#	103	0.00
31 T	Cyclohexane	0.849	0.772	9.1	93	0.00
32 T	1,1,1-Trichloroethane	0.952	1.032	-8.4	103	0.00
33 S	1,2-Dichloroethane-d4	0.470	0.427	9.1	90	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
35 S	Dibromofluoromethane	0.289	0.259	10.4	88	0.00
36 T	1,1-Dichloropropene	0.461	0.453	1.7	97	0.00
37 T	Ethyl Acetate	0.238	0.246	-3.4	105	0.00
38 T	Carbon Tetrachloride	0.496	0.509	-2.6	100	0.00
39 T	Methylcyclohexane	0.593	0.540	8.9	90	0.00
40 TM	Benzene	1.373	1.388	-1.1	101	0.00
41 T	Methacrylonitrile	0.133	0.132	0.8	94	0.00
42 TM	1,2-Dichloroethane	0.398	0.403	-1.3	100	0.00
43 T	Isopropyl Acetate	0.441	0.475	-7.7	109	0.00
44 TM	Trichloroethene	0.391	0.386	1.3	97	0.00
45 C	1,2-Dichloropropane	0.335	0.345	-3.0#	101	0.00
46 T	Dibromomethane	0.222	0.229	-3.2	102	0.00
47 T	Bromodichloromethane	0.499	0.519	-4.0	102	0.00
48 T	Methyl methacrylate	0.188	0.197	-4.8	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041522\
 Data File : VY008361.D
 Acq On : 15 Apr 2022 19:09
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 16 05:00:59 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y040822S.M
 Quant Title : SW846 8260
 QLast Update : Fri Apr 08 16:02:50 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	99	0.00
50 S	Toluene-d8	0.988	0.897	9.2	89	0.00
51 T	4-Methyl-2-Pentanone	0.228	0.258	-13.2	114	0.00
52 CM	Toluene	0.905	0.912	-0.8#	98	0.00
53 T	t-1,3-Dichloropropene	0.509	0.528	-3.7	101	0.00
54 T	cis-1,3-Dichloropropene	0.574	0.595	-3.7	101	0.00
55 T	1,1,2-Trichloroethane	0.317	0.319	-0.6	99	0.00
56 T	Ethyl methacrylate	0.388	0.419	-8.0	104	0.00
57 T	1,3-Dichloropropane	0.509	0.521	-2.4	101	0.00
58 T	2-Chloroethyl Vinyl ether	0.153	0.131	14.4	87	0.00
59 T	2-Hexanone	0.157	0.177	-12.7	112	0.00
60 T	Dibromochloromethane	0.370	0.380	-2.7	98	0.00
61 T	1,2-Dibromoethane	0.310	0.309	0.3	98	0.00
62 S	4-Bromofluorobenzene	0.372	0.321	13.7	87	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.352	0.353	-0.3	94	0.00
65 PM	Chlorobenzene	1.084	1.139	-5.1	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.405	0.443	-9.4	98	0.00
67 C	Ethyl Benzene	1.844	2.001	-8.5#	99	0.00
68 T	m/p-Xylenes	0.733	0.798	-8.9	98	0.00
69 T	o-Xylene	0.712	0.779	-9.4	98	0.00
70 T	Styrene	1.174	1.340	-14.1	101	0.00
71 P	Bromoform	0.244	0.268	-9.8	98	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	84	0.00
73 T	Isopropylbenzene	3.717	4.116	-10.7	98	0.00
74 T	N-amyl acetate	0.807	0.979	-21.3	111	0.00
75 P	1,1,2,2-Tetrachloroethane	0.787	0.919	-16.8	106	0.00
76 T	1,2,3-Trichloropropane	0.553	0.648	-17.2	100	0.00
77 T	Bromobenzene	0.911	0.952	-4.5	95	0.00
78 T	n-propylbenzene	4.387	4.787	-9.1	97	0.00
79 T	2-Chlorotoluene	2.462	2.694	-9.4	99	0.00
80 T	1,3,5-Trimethylbenzene	3.048	3.335	-9.4	97	0.00
81 T	trans-1,4-Dichloro-2-butene	0.247	0.299	-21.1	107	0.00
82 T	4-Chlorotoluene	2.530	2.817	-11.3	100	0.00
83 T	tert-Butylbenzene	2.735	3.028	-10.7	98	0.00
84 T	1,2,4-Trimethylbenzene	3.017	3.381	-12.1	99	0.00
85 T	sec-Butylbenzene	4.054	4.489	-10.7	98	0.00
86 T	p-Isopropyltoluene	3.383	3.716	-9.8	95	0.00
87 T	1,3-Dichlorobenzene	1.804	1.956	-8.4	95	0.00
88 T	1,4-Dichlorobenzene	1.786	1.876	-5.0	93	0.00
89 T	n-Butylbenzene	3.057	3.246	-6.2	93	0.00
90 T	Hexachloroethane	0.632	0.690	-9.2	95	0.00
91 T	1,2-Dichlorobenzene	1.605	1.702	-6.0	94	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.113	0.130	-15.0	104	0.00
93 T	1,2,4-Trichlorobenzene	0.949	0.866	8.7	84	0.00
94 T	Hexachlorobutadiene	0.482	0.442	8.3	85	0.00
95 T	Naphthalene	2.034	2.067	-1.6	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041522\
Data File : VY008361.D
Acq On : 15 Apr 2022 19:09
Operator : KP/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Apr 16 05:00:59 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y040822S.M
Quant Title : SW846 8260
QLast Update : Fri Apr 08 16:02:50 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.831	0.765	7.9	86	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6