

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071124\
 Data File : VY018777.D
 Acq On : 11 Jul 2024 14:45
 Operator : SY/MD
 Sample : P3193-03
 Misc : 5.51g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 FILL-MATERIAL-2

Quant Time: Jul 12 01:38:42 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y070924S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 09 14:28:51 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	87861	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	159148	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	138002	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	52141	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	45008	52.058	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.120%
35) Dibromofluoromethane	7.710	113	48585	48.742	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	97.480%
50) Toluene-d8	10.173	98	180144	47.703	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.400%
62) 4-Bromofluorobenzene	12.477	95	54810	42.500	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	85.000%

Target Compounds Qvalue

 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071124\
Data File : VY018777.D
Acq On : 11 Jul 2024 14:45
Operator : SY/MD
Sample : P3193-03
Misc : 5.51g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
FILL-MATERIAL-2

Quant Time: Jul 12 01:38:42 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y070924S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 09 14:28:51 2024
Response via : Initial Calibration

