

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080822\
 Data File : VY009894.D
 Acq On : 09 Aug 2022 00:47
 Operator : KP/MD
 Sample : N3963-07
 Misc : 3.78g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RVE-212

Quant Time: Aug 09 02:20:02 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080822S.M
 Quant Title : SW846 8260
 QLast Update : Mon Aug 08 17:55:50 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	58153	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	115742	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	112590	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	50553	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	27983	62.957	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	125.920%
35) Dibromofluoromethane	7.710	113	25521	40.619	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	81.240%
50) Toluene-d8	10.173	98	92895	48.624	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	97.240%
62) 4-Bromofluorobenzene	12.477	95	30287	34.524	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	69.040%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080822\
Data File : VY009894.D
Acq On : 09 Aug 2022 00:47
Operator : KP/MD
Sample : N3963-07
Misc : 3.78g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RVE-212

Quant Time: Aug 09 02:20:02 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080822S.M
Quant Title : SW846 8260
QLast Update : Mon Aug 08 17:55:50 2022
Response via : Initial Calibration

