

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080922\
 Data File : VY009945.D
 Acq On : 10 Aug 2022 02:53
 Operator : KP/MD
 Sample : N4017-08
 Misc : 5.01g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB05

Quant Time: Aug 10 08:13:54 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080822S.M
 Quant Title : SW846 8260
 QLast Update : Mon Aug 08 17:55:50 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	36716	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	76691	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	88634	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	35522	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	16899	59.935	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	119.880%
35) Dibromofluoromethane	7.710	113	16143	38.776	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	77.560%
50) Toluene-d8	10.173	98	57889	45.268	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	90.540%
62) 4-Bromofluorobenzene	12.477	95	19319	33.235	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	66.460%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY080922\
Data File : VY009945.D
Acq On : 10 Aug 2022 02:53
Operator : KP/MD
Sample : N4017-08
Misc : 5.01g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB05

Quant Time: Aug 10 08:13:54 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y080822S.M
Quant Title : SW846 8260
QLast Update : Mon Aug 08 17:55:50 2022
Response via : Initial Calibration

