

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091922\
 Data File : VY010555.D
 Acq On : 19 Sep 2022 16:51
 Operator : KP/MD
 Sample : VY0919SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0919SBL01

Quant Time: Sep 20 01:04:37 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091922S.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 20 01:02:44 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	261081	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	428722	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	380553	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	177969	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	139355	55.805	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	111.600%
35) Dibromofluoromethane	7.710	113	131240	47.966	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	95.940%
50) Toluene-d8	10.173	98	504015	49.853	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	99.700%
62) 4-Bromofluorobenzene	12.477	95	165091	43.648	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	87.300%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091922\
Data File : VY010555.D
Acq On : 19 Sep 2022 16:51
Operator : KP/MD
Sample : VY0919SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0919SBL01

Quant Time: Sep 20 01:04:37 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091922S.M
Quant Title : SW846 8260
QLast Update : Tue Sep 20 01:02:44 2022
Response via : Initial Calibration

