

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY102522\  
 Data File : VY011086.D  
 Acq On : 25 Oct 2022 10:45  
 Operator : KP/MD  
 Sample : VY1025SBL01  
 Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 VY1025SBL01

Quant Time: Oct 26 08:36:35 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y101722S.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Oct 18 01:42:42 2022  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 7.789  | 168  | 221677   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.685  | 114  | 374212   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.490 | 117  | 330168   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.422 | 152  | 151670   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.136  | 65    | 101651   | 49.781   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =    | 99.560%  |
| 35) Dibromofluoromethane    | 7.716  | 113   | 106308   | 51.007   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =    | 102.020% |
| 50) Toluene-d8              | 10.179 | 98    | 342904   | 43.886   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 49 - 140 | Recovery | =    | 87.780%  |
| 62) 4-Bromofluorobenzene    | 12.477 | 95    | 120907   | 43.270   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 25 - 144 | Recovery | =    | 86.540%  |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY102522\  
Data File : VY011086.D  
Acq On : 25 Oct 2022 10:45  
Operator : KP/MD  
Sample : VY1025SBL01  
Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY1025SBL01

Quant Time: Oct 26 08:36:35 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y101722S.M  
Quant Title : SW846 8260  
QLast Update : Tue Oct 18 01:42:42 2022  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 7.789 min Scan# 91  
Delta R.T. -0.000 min  
Lab File: VY011086.D  
Acq: 25 Oct 2022 10:45




Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY1025SBL01


Tgt Ion:168 Resp: 221677  
Ion Ratio Lower Upper  
168 100  
99 53.1 46.9 70.3



#33  
1,2-Dichloroethane-d4  
Concen: 49.781 ug/l  
RT: 8.136 min Scan# 1036  
Delta R.T. 0.000 min  
Lab File: VY011086.D  
Acq: 25 Oct 2022 10:45

Tgt Ion: 65 Resp: 101651  
Ion Ratio Lower Upper  
65 100  
67 55.3 0.0 99.4









#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 8.685 min Scan# 1126  
Delta R.T. 0.000 min  
Lab File: VY011086.D  
Acq: 25 Oct 2022 10:45




Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY1025SBL01


Tgt Ion:114 Resp: 374212  
Ion Ratio Lower Upper  
114 100  
63 19.7 0.0 43.2  
88 15.6 0.0 31.8



#35  
Dibromofluoromethane  
Concen: 51.007 ug/l  
RT: 7.716 min Scan# 967  
Delta R.T. 0.006 min  
Lab File: VY011086.D  
Acq: 25 Oct 2022 10:45

Tgt Ion:113 Resp: 106308  
Ion Ratio Lower Upper  
113 100  
111 102.8 82.6 124.0  
192 18.9 17.6 26.4









#50  
Toluene-d8  
Concen: 43.886 ug/l  
RT: 10.179 min Scan# 11  
Delta R.T. -0.000 min  
Lab File: VY011086.D  
Acq: 25 Oct 2022 10:45




Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY1025SBL01


Tgt Ion: 98 Resp: 342904  
Ion Ratio Lower Upper  
98 100  
100 64.8 50.2 75.2



#62  
4-Bromofluorobenzene  
Concen: 43.270 ug/l  
RT: 12.477 min Scan# 1748  
Delta R.T. -0.006 min  
Lab File: VY011086.D  
Acq: 25 Oct 2022 10:45

Tgt Ion: 95 Resp: 120907  
Ion Ratio Lower Upper  
95 100  
174 84.0 0.0 177.0  
176 81.2 0.0 175.8









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.490 min Scan# 117  
Delta R.T. -0.000 min  
Lab File: VY011086.D  
Acq: 25 Oct 2022 10:45

Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY1025SBL01

Tgt Ion:117 Resp: 330168  
Ion Ratio Lower Upper  
117 100  
82 53.4 43.0 64.4  
119 32.3 25.4 38.0



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.422 min Scan# 1903  
Delta R.T. 0.000 min  
Lab File: VY011086.D  
Acq: 25 Oct 2022 10:45

Tgt Ion:152 Resp: 151670  
Ion Ratio Lower Upper  
152 100  
115 57.8 28.2 84.7  
150 156.4 0.0 347.6

