

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110222\
 Data File : VY011257.D
 Acq On : 02 Nov 2022 13:11
 Operator : KP/MD
 Sample : N5336-01
 Misc : 5.06g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-01-0-2.0

Quant Time: Nov 03 05:14:45 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110122S.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 01 11:56:18 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	335661	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	575561	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	525342	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	246205	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.137	65	185275	51.610	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	103.220%
35) Dibromofluoromethane	7.716	113	191707	51.841	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.680%
50) Toluene-d8	10.179	98	678807	47.278	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	94.560%
62) 4-Bromofluorobenzene	12.477	95	252783	50.715	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	101.420%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110222\
Data File : VY011257.D
Acq On : 02 Nov 2022 13:11
Operator : KP/MD
Sample : N5336-01
Misc : 5.06g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB-01-0-2.0

Quant Time: Nov 03 05:14:45 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110122S.M
Quant Title : SW846 8260
QLast Update : Tue Nov 01 11:56:18 2022
Response via : Initial Calibration

