

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111324\
 Data File : VY020277.D
 Acq On : 13 Nov 2024 12:00
 Operator : SY/MD
 Sample : VY1113SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY1113SBL01

Quant Time: Nov 14 00:54:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 15:23:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.719	168	201367	50.000	ug/l	# 0.01
34) 1,4-Difluorobenzene	8.622	114	373967	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	291234	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	108368	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.073	65	132507	52.725	ug/l	0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	105.440%
35) Dibromofluoromethane	7.646	113	119666	50.329	ug/l	0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.660%
50) Toluene-d8	10.109	98	499470	52.774	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	105.540%
62) 4-Bromofluorobenzene	12.408	95	147677	48.039	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	96.080%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111324\
Data File : VY020277.D
Acq On : 13 Nov 2024 12:00
Operator : SY/MD
Sample : VY1113SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY1113SBL01

Quant Time: Nov 14 00:54:59 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 15:23:13 2024
Response via : Initial Calibration

