

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120122\
 Data File : VY011654.D
 Acq On : 01 Dec 2022 11:27
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 02 03:14:40 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 19 22:37:14 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	101	0.00
2 T	Dichlorodifluoromethane	0.326	0.289	11.3	111	0.00
3 P	Chloromethane	0.482	0.404	16.2	94	0.00
4 C	Vinyl Chloride	0.566	0.463	18.2#	89	0.00
5 T	Bromomethane	0.421	0.320	24.0	89	0.00
6 T	Chloroethane	0.395	0.319	19.2	88	0.00
7 T	Trichlorofluoromethane	0.830	0.829	0.1	110	0.00
8 T	Diethyl Ether	0.268	0.273	-1.9	109	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.480	0.498	-3.8	111	0.00
10 T	Methyl Iodide	0.559	0.602	-7.7	103	0.00
11 T	Tert butyl alcohol	0.066	0.058	12.1	118	0.00
12 CM	1,1-Dichloroethene	0.439	0.454	-3.4#	109	0.00
13 T	Acrolein	0.013	0.010	23.1	118	0.00
14 T	Allyl chloride	0.771	0.764	0.9	100	0.00
15 T	Acrylonitrile	0.146	0.144	1.4	105	0.00
16 T	Acetone	0.165	0.175	-6.1	112	0.00
17 T	Carbon Disulfide	1.218	1.157	5.0	99	0.00
18 T	Methyl Acetate	0.435	0.364	16.3	105	0.00
19 T	Methyl tert-butyl Ether	1.254	1.362	-8.6	111	0.00
20 T	Methylene Chloride	0.834	0.666	20.1	105	0.00
21 T	trans-1,2-Dichloroethene	0.508	0.518	-2.0	105	0.00
22 T	Diisopropyl ether	1.684	1.728	-2.6	101	0.00
23 T	Vinyl Acetate	0.981	1.028	-4.8	101	0.00
24 P	1,1-Dichloroethane	0.989	1.009	-2.0	108	0.00
25 T	2-Butanone	0.217	0.210	3.2	102	0.00
26 T	2,2-Dichloropropane	0.912	0.954	-4.6	109	0.00
27 T	cis-1,2-Dichloroethene	0.598	0.624	-4.3	106	0.00
28 T	Bromochloromethane	0.397	0.386	2.8	100	0.00
29 T	Tetrahydrofuran	0.122	0.118	3.3	100	0.00
30 C	Chloroform	1.025	1.058	-3.2#	108	0.00
31 T	Cyclohexane	0.842	0.821	2.5	102	0.00
32 T	1,1,1-Trichloroethane	0.917	0.961	-4.8	110	0.00
33 S	1,2-Dichloroethane-d4	0.508	0.533	-4.9	121	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	102	0.00
35 S	Dibromofluoromethane	0.308	0.342	-11.0	123	0.00
36 T	1,1-Dichloropropene	0.481	0.494	-2.7	104	0.00
37 T	Ethyl Acetate	0.274	0.261	4.7	100	0.00
38 T	Carbon Tetrachloride	0.538	0.557	-3.5	108	0.00
39 T	Methylcyclohexane	0.537	0.570	-6.1	104	0.00
40 TM	Benzene	1.402	1.440	-2.7	105	0.00
41 T	Methacrylonitrile	0.139	0.134	3.6	106	0.00
42 TM	1,2-Dichloroethane	0.433	0.433	0.0	105	0.00
43 T	Isopropyl Acetate	0.494	0.478	3.2	100	0.00
44 TM	Trichloroethene	0.377	0.387	-2.7	107	0.00
45 C	1,2-Dichloropropane	0.358	0.361	-0.8#	103	0.00
46 T	Dibromomethane	0.200	0.199	0.5	104	0.00
47 T	Bromodichloromethane	0.505	0.518	-2.6	106	0.00
48 T	Methyl methacrylate	0.220	0.218	0.9	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120122\
 Data File : VY011654.D
 Acq On : 01 Dec 2022 11:27
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 02 03:14:40 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 19 22:37:14 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.003	-50.0#	105	0.00
50 S	Toluene-d8	1.119	1.190	-6.3	118	0.00
51 T	4-Methyl-2-Pentanone	0.275	0.266	3.3	98	0.00
52 CM	Toluene	0.886	0.913	-3.0#	103	0.00
53 T	t-1,3-Dichloropropene	0.504	0.518	-2.8	105	0.00
54 T	cis-1,3-Dichloropropene	0.567	0.585	-3.2	105	0.00
55 T	1,1,2-Trichloroethane	0.287	0.284	1.0	103	0.00
56 T	Ethyl methacrylate	0.356	0.374	-5.1	104	0.00
57 T	1,3-Dichloropropane	0.485	0.483	0.4	102	0.00
58 T	2-Chloroethyl Vinyl ether	0.175	0.172	1.7	96	0.00
59 T	2-Hexanone	0.196	0.198	-1.0	101	0.00
60 T	Dibromochloromethane	0.351	0.358	-2.0	105	0.00
61 T	1,2-Dibromoethane	0.262	0.261	0.4	104	0.00
62 S	4-Bromofluorobenzene	0.414	0.452	-9.2	118	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	98	0.00
64 T	Tetrachloroethene	0.412	0.424	-2.9	102	0.00
65 PM	Chlorobenzene	1.047	1.086	-3.7	102	0.00
66 T	1,1,1,2-Tetrachloroethane	0.397	0.423	-6.5	103	0.00
67 C	Ethyl Benzene	1.890	2.014	-6.6#	102	0.00
68 T	m/p-Xylenes	0.720	0.766	-6.4	100	0.00
69 T	o-Xylene	0.670	0.728	-8.7	101	0.00
70 T	Styrene	1.144	1.246	-8.9	101	0.00
71 P	Bromoform	0.241	0.249	-3.3	102	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	3.616	4.048	-11.9	101	0.00
74 T	N-amyl acetate	0.893	0.936	-4.8	98	0.00
75 P	1,1,2,2-Tetrachloroethane	0.713	0.712	0.1	99	0.00
76 T	1,2,3-Trichloropropane	0.538	0.486	9.7	80	0.00
77 T	Bromobenzene	0.844	0.899	-6.5	101	0.00
78 T	n-propylbenzene	4.412	4.859	-10.1	100	0.00
79 T	2-Chlorotoluene	2.487	2.707	-8.8	101	0.00
80 T	1,3,5-Trimethylbenzene	3.048	3.420	-12.2	102	0.00
81 T	trans-1,4-Dichloro-2-butene	0.246	0.255	-3.7	101	0.00
82 T	4-Chlorotoluene	2.600	2.784	-7.1	99	0.00
83 T	tert-Butylbenzene	2.655	3.013	-13.5	102	0.00
84 T	1,2,4-Trimethylbenzene	3.011	3.362	-11.7	101	0.00
85 T	sec-Butylbenzene	3.962	4.412	-11.4	101	0.00
86 T	p-Isopropyltoluene	3.306	3.721	-12.6	101	0.00
87 T	1,3-Dichlorobenzene	1.719	1.823	-6.1	101	0.00
88 T	1,4-Dichlorobenzene	1.719	1.779	-3.5	99	0.00
89 T	n-Butylbenzene	3.039	3.412	-12.3	100	0.00
90 T	Hexachloroethane	0.668	0.706	-5.7	103	0.00
91 T	1,2-Dichlorobenzene	1.524	1.596	-4.7	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.117	0.118	-0.9	99	0.00
93 T	1,2,4-Trichlorobenzene	0.845	0.964	-14.1	109	0.00
94 T	Hexachlorobutadiene	0.525	0.596	-13.5	111	0.00
95 T	Naphthalene	1.581	1.829	-15.7	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120122\
Data File : VY011654.D
Acq On : 01 Dec 2022 11:27
Operator : KP/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Dec 02 03:14:40 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111822S.M
Quant Title : SW846 8260
QLast Update : Sat Nov 19 22:37:14 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.724	0.814	-12.4	109	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6