

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY121125\
 Data File : VY023940.D
 Acq On : 11 Dec 2025 08:57
 Operator : SY/MD
 Sample : VY1211SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY1211SBL01

Quant Time: Dec 12 03:17:02 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y121025S.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 11 03:57:51 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.719	168	771211	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	1297187	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1132884	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	487980	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	383475	56.239	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	112.480%
35) Dibromofluoromethane	7.640	113	409690	48.315	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	96.640%
50) Toluene-d8	10.109	98	1486654	47.090	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	94.180%
62) 4-Bromofluorobenzene	12.408	95	453002	42.967	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	85.940%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY121125\
Data File : VY023940.D
Acq On : 11 Dec 2025 08:57
Operator : SY/MD
Sample : VY1211SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY1211SBL01

Quant Time: Dec 12 03:17:02 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y121025S.M
Quant Title : SW846 8260
QLast Update : Thu Dec 11 03:57:51 2025
Response via : Initial Calibration

