

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY121125\
 Data File : VY023944.D
 Acq On : 11 Dec 2025 10:45
 Operator : SY/MD
 Sample : Q3821-01
 Misc : 4.21g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-A-B

Quant Time: Dec 12 03:19:52 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y121025S.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 11 03:57:51 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	721130	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	1236556	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1040637	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	429732	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	337105	52.872	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	105.740%
35) Dibromofluoromethane	7.640	113	383187	47.405	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	94.820%
50) Toluene-d8	10.109	98	1406602	46.739	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	93.480%
62) 4-Bromofluorobenzene	12.408	95	409566	40.751	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	81.500%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY121125\
Data File : VY023944.D
Acq On : 11 Dec 2025 10:45
Operator : SY/MD
Sample : Q3821-01
Misc : 4.21g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-A-B

Quant Time: Dec 12 03:19:52 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y121025S.M
Quant Title : SW846 8260
QLast Update : Thu Dec 11 03:57:51 2025
Response via : Initial Calibration

