

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY122222\
 Data File : VY011974.D
 Acq On : 22 Dec 2022 15:01
 Operator : KP/MD
 Sample : N6148-06
 Misc : 6.13g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VOC-3052-GRAB-8

Quant Time: Dec 23 04:32:23 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y122022S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 20 12:37:37 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	155644	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	268961	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	239854	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	106421	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.143	65	91803	58.545	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	117.080%
35) Dibromofluoromethane	7.716	113	82502	50.952	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.900%
50) Toluene-d8	10.179	98	317017	48.255	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	96.520%
62) 4-Bromofluorobenzene	12.483	95	96349	43.607	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	87.220%
Target Compounds						
29) Tetrahydrofuran	7.350	42	2231	7.539	ug/l	Qvalue # 88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY122222\
Data File : VY011974.D
Acq On : 22 Dec 2022 15:01
Operator : KP/MD
Sample : N6148-06
Misc : 6.13g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VOC-3052-GRAB-8

Quant Time: Dec 23 04:32:23 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y122022S.M
Quant Title : SW846 8260
QLast Update : Tue Dec 20 12:37:37 2022
Response via : Initial Calibration

