

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011425\
 Data File : VY020815.D
 Acq On : 14 Jan 2025 11:47
 Operator : SY/MD
 Sample : Q1074-01
 Misc : 4.44g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 15 03:27:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010625S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 07 01:31:46 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.719	168	174413	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.628	114	281645	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.426	117	220855	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.359	152	79917	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.073	65	96200	64.893	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	129.780%
35) Dibromofluoromethane	7.646	113	89546	50.749	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.500%
50) Toluene-d8	10.115	98	314789	51.177	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	102.360%
62) 4-Bromofluorobenzene	12.414	95	89562	39.429	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	78.860%
Target Compounds						
51) 4-Methyl-2-Pentanone	10.006	43	1065	1.170	ug/l	Qvalue 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011425\
Data File : VY020815.D
Acq On : 14 Jan 2025 11:47
Operator : SY/MD
Sample : Q1074-01
Misc : 4.44g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 5 Sample Multiplier: 1





Quant Time: Jan 15 03:27:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010625S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 07 01:31:46 2025
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.719 min Scan# 984
Delta R.T. 0.006 min
Lab File: VY020815.D
Acq: 14 Jan 2025 11:47


Tgt Ion: 168 Resp: 174413
Ion Ratio Lower Upper
168 100
99 51.5 44.3 66.5



#33
1,2-Dichloroethane-d4
Concen: 64.893 ug/l
RT: 8.073 min Scan# 1042
Delta R.T. 0.006 min
Lab File: VY020815.D
Acq: 14 Jan 2025 11:47





Tgt Ion: 65 Resp: 96200
Ion Ratio Lower Upper
65 100
67 52.8 0.0 102.8








#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.628 min Scan# 1133
Delta R.T. 0.006 min
Lab File: VY020815.D
Acq: 14 Jan 2025 11:47


Tgt Ion	Ratio	Lower	Upper
114	100		
63	17.8	0.0	38.4
88	14.8	0.0	31.2



#35
Dibromofluoromethane
Concen: 50.749 ug/l
RT: 7.646 min Scan# 972
Delta R.T. 0.006 min
Lab File: VY020815.D
Acq: 14 Jan 2025 11:47





Tgt Ion	Ratio	Lower	Upper
113	100		
111	102.4	81.7	122.5
192	21.1	16.7	25.1








#50
Toluene-d8
Concen: 51.177 ug/l
RT: 10.115 min Scan# 1377
Delta R.T. 0.006 min
Lab File: VY020815.D
Acq: 14 Jan 2025 11:47


Tgt Ion: 98 Resp: 314789
Ion Ratio Lower Upper
98 100
100 66.1 52.5 78.7



#51
4-Methyl-2-Pentanone
Concen: 1.170 ug/l
RT: 10.006 min Scan# 1359
Delta R.T. 0.006 min
Lab File: VY020815.D
Acq: 14 Jan 2025 11:47





Tgt Ion: 43 Resp: 1065
Ion Ratio Lower Upper
43 100
58 40.3 34.8 52.2








#62
4-Bromofluorobenzene
Concen: 39.429 ug/l
RT: 12.414 min Scan# 1754
Delta R.T. 0.006 min
Lab File: VY020815.D
Acq: 14 Jan 2025 11:47


Tgt Ion:	95	Resp:	89562
Ion Ratio	Lower	Upper	
95	100		
174	87.4	0.0	178.0
176	85.6	0.0	172.0




#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.426 min Scan# 1592
Delta R.T. 0.006 min
Lab File: VY020815.D
Acq: 14 Jan 2025 11:47

Tgt Ion:	117	Resp:	220855
Ion Ratio	Lower	Upper	
117	100		
82	52.8	41.8	62.6
119	31.6	25.8	38.8





#72
 1,4-Dichlorobenzene-d4
 Concen: 50.000 ug/l
 RT: 13.359 min Scan# 1909
 Delta R.T. 0.006 min
 Lab File: VY020815.D
 Acq: 14 Jan 2025 11:47



Tgt	Ion:152	Resp:	79917
Ion	Ratio	Lower	Upper
152	100		
115	56.1	29.0	87.0
150	157.1	0.0	347.4

