

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY012225\
 Data File : VY020897.D
 Acq On : 22 Jan 2025 12:35
 Operator : SY/MD
 Sample : Q1142-02RE
 Misc : 5.08g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PL-1-012125-VOCRE

Quant Time: Jan 23 00:45:21 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010625S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jan 23 00:38:42 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.726	168	4931	50.000	ug/l	-0.01
34) 1,4-Difluorobenzene	8.628	114	6529	50.000	ug/l	-0.01
63) Chlorobenzene-d5	11.432	117	2435	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.365	152	595	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.079	65	2317	55.283	ug/l	-0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.560%
35) Dibromofluoromethane	7.652	113	2363	57.770	ug/l	-0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	115.540%
50) Toluene-d8	10.122	98	5006	35.108	ug/l	-0.01
Spiked Amount	50.000	Range	58 - 134	Recovery	=	70.220%
62) 4-Bromofluorobenzene	12.414	95	462	8.774	ug/l	-0.01
Spiked Amount	50.000	Range	29 - 146	Recovery	=	17.540%#

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY012225\
Data File : VY020897.D
Acq On : 22 Jan 2025 12:35
Operator : SY/MD
Sample : Q1142-02RE
Misc : 5.08g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PL-1-012125-VOCRE

Quant Time: Jan 23 00:45:21 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010625S.M
Quant Title : SW846 8260
QLast Update : Thu Jan 23 00:38:42 2025
Response via : Initial Calibration

