

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020822\
 Data File : VY007427.D
 Acq On : 08 Feb 2022 11:39
 Operator : SY/MD
 Sample : VY0208SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0208SBL01

Quant Time: Feb 09 00:50:55 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020222S.M
 Quant Title : SW846 8260
 QLast Update : Thu Feb 03 04:36:48 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	101986	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	191388	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	179047	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	73980	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	60363	51.456	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	102.920%
35) Dibromofluoromethane	7.716	113	61758	50.252	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.500%
50) Toluene-d8	10.179	98	233031	51.323	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	102.640%
62) 4-Bromofluorobenzene	12.483	95	79711	51.651	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	103.300%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020822\
Data File : VY007427.D
Acq On : 08 Feb 2022 11:39
Operator : SY/MD
Sample : VY0208SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0208SBL01

Quant Time: Feb 09 00:50:55 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020222S.M
Quant Title : SW846 8260
QLast Update : Thu Feb 03 04:36:48 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.795 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY007427.D
Acq: 08 Feb 2022 11:39




Instrument :
MSVOA_Y
ClientSampleId :
VY0208SBL01


Tgt Ion:168 Resp: 101986
Ion Ratio Lower Upper
168 100
99 58.4 46.9 70.3



#33
1,2-Dichloroethane-d4
Concen: 51.456 ug/l
RT: 8.142 min Scan# 1037
Delta R.T. -0.000 min
Lab File: VY007427.D
Acq: 08 Feb 2022 11:39

Tgt Ion: 65 Resp: 60363
Ion Ratio Lower Upper
65 100
67 52.7 0.0 99.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. -0.000 min

Lab File: VY007427.D

Acq: 08 Feb 2022 11:39

Instrument :

MSVOA_Y

ClientSampleId :

VY0208SBL01





Tgt Ion:114 Resp: 191388

Ion Ratio Lower Upper

114 100

63 19.9 0.0 43.2

88 16.3 0.0 31.8



#35

Dibromofluoromethane

Concen: 50.252 ug/l

RT: 7.716 min Scan# 967

Delta R.T. -0.006 min

Lab File: VY007427.D

Acq: 08 Feb 2022 11:39




Tgt Ion:113 Resp: 61758


Ion Ratio Lower Upper

113 100

111 103.6 82.6 124.0

192 17.3 17.6 26.4#









#50
Toluene-d8
Concen: 51.323 ug/l
RT: 10.179 min Scan# 1372
Delta R.T. -0.006 min
Lab File: VY007427.D
Acq: 08 Feb 2022 11:39




Instrument :
MSVOA_Y
ClientSampleId :
VY0208SBL01


Tgt Ion: 98 Resp: 233031
Ion Ratio Lower Upper
98 100
100 64.7 50.2 75.2



#62
4-Bromofluorobenzene
Concen: 51.651 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY007427.D
Acq: 08 Feb 2022 11:39

Tgt Ion: 95 Resp: 79711
Ion Ratio Lower Upper
95 100
174 77.2 0.0 177.0
176 73.5 0.0 175.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY007427.D
Acq: 08 Feb 2022 11:39

Instrument :
MSVOA_Y
ClientSampleId :
VY0208SBL01

Tgt Ion:117 Resp: 179047
Ion Ratio Lower Upper
117 100
82 57.7 43.0 64.4
119 32.2 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. 0.006 min
Lab File: VY007427.D
Acq: 08 Feb 2022 11:39

Tgt Ion:152 Resp: 73980
Ion Ratio Lower Upper
152 100
115 63.5 28.2 84.7
150 159.8 0.0 347.6

