

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020922\
 Data File : VY007452.D
 Acq On : 09 Feb 2022 14:59
 Operator : SY/MD
 Sample : N1443-03
 Misc : 5.01g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-1-NORTH-COMP

Quant Time: Feb 10 05:35:33 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020222S.M
 Quant Title : SW846 8260
 QLast Update : Thu Feb 03 04:36:48 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	101438	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	192476	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.495	117	184420	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	77980	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	69834	59.852	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	119.700%
35) Dibromofluoromethane	7.722	113	63371	51.273	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.540%
50) Toluene-d8	10.185	98	236269	51.742	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	103.480%
62) 4-Bromofluorobenzene	12.483	95	82581	53.209	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	106.420%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020922\
Data File : VY007452.D
Acq On : 09 Feb 2022 14:59
Operator : SY/MD
Sample : N1443-03
Misc : 5.01g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-1-NORTH-COMP

Quant Time: Feb 10 05:35:33 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020222S.M
Quant Title : SW846 8260
QLast Update : Thu Feb 03 04:36:48 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.795 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY007452.D
Acq: 09 Feb 2022 14:59




Instrument :
MSVOA_Y
ClientSampleId :
TP-1-NORTH-COMP


Tgt Ion:168 Resp: 101438
Ion Ratio Lower Upper
168 100
99 60.7 46.9 70.3



#33
1,2-Dichloroethane-d4
Concen: 59.852 ug/l
RT: 8.142 min Scan# 1037
Delta R.T. -0.000 min
Lab File: VY007452.D
Acq: 09 Feb 2022 14:59

Tgt Ion: 65 Resp: 69834
Ion Ratio Lower Upper
65 100
67 51.7 0.0 99.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. -0.000 min

Lab File: VY007452.D

Acq: 09 Feb 2022 14:59

Instrument :

MSVOA_Y

ClientSampleId :

TP-1-NORTH-COMP





Tgt Ion:114 Resp: 192476

Ion Ratio Lower Upper

114 100

63 21.2 0.0 43.2

88 15.3 0.0 31.8



#35

Dibromofluoromethane

Concen: 51.273 ug/l

RT: 7.722 min Scan# 968

Delta R.T. -0.000 min

Lab File: VY007452.D

Acq: 09 Feb 2022 14:59




Tgt Ion:113 Resp: 63371


Ion Ratio Lower Upper

113 100

111 103.3 82.6 124.0

192 17.3 17.6 26.4#









#50
Toluene-d8
Concen: 51.742 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. -0.000 min
Lab File: VY007452.D
Acq: 09 Feb 2022 14:59




Instrument :
MSVOA_Y
ClientSampleId :
TP-1-NORTH-COMP


Tgt Ion: 98 Resp: 236269
Ion Ratio Lower Upper
98 100
100 64.2 50.2 75.2



#62
4-Bromofluorobenzene
Concen: 53.209 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY007452.D
Acq: 09 Feb 2022 14:59

Tgt Ion: 95 Resp: 82581
Ion Ratio Lower Upper
95 100
174 78.9 0.0 177.0
176 76.1 0.0 175.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.495 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY007452.D
Acq: 09 Feb 2022 14:59

Instrument :
MSVOA_Y
ClientSampleId :
TP-1-NORTH-COMP

Tgt Ion:117 Resp: 184420
Ion Ratio Lower Upper
117 100
82 53.7 43.0 64.4
119 30.4 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. 0.006 min
Lab File: VY007452.D
Acq: 09 Feb 2022 14:59

Tgt Ion:152 Resp: 77980
Ion Ratio Lower Upper
152 100
115 61.9 28.2 84.7
150 157.6 0.0 347.6

