

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY021025\
 Data File : VY021157.D
 Acq On : 10 Feb 2025 16:22
 Operator : SY/MD
 Sample : Q1343-03
 Misc : 5.11g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-9-VOC

Quant Time: Feb 11 00:31:32 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 03 13:08:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	162812	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	303850	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	283669	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	111568	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	102404	61.388	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	122.780%
35) Dibromofluoromethane	7.640	113	101599	52.175	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.340%
50) Toluene-d8	10.115	98	366055	49.377	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.760%
62) 4-Bromofluorobenzene	12.414	95	120319	49.679	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	99.360%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY021025\
Data File : VY021157.D
Acq On : 10 Feb 2025 16:22
Operator : SY/MD
Sample : Q1343-03
Misc : 5.11g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-9-VOC

Quant Time: Feb 11 00:31:32 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
Quant Title : SW846 8260
QLast Update : Mon Feb 03 13:08:38 2025
Response via : Initial Calibration

