

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022125\
 Data File : VY021275.D
 Acq On : 21 Feb 2025 09:37
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050

Quant Time: Feb 21 23:01:54 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 03 13:08:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.726	168	134641	50.000	ug/l	0.01
34) 1,4-Difluorobenzene	8.628	114	218893	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.426	117	189433	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.359	152	91135	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.079	65	73499	53.279	ug/l	0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	= 106.560%	
35) Dibromofluoromethane	7.646	113	72342	51.569	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 103.140%	
50) Toluene-d8	10.115	98	262335	49.121	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 98.240%	
62) 4-Bromofluorobenzene	12.414	95	88447	50.693	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 101.380%	

Target Compounds				Qvalue		
2) Dichlorodifluoromethane	1.873	85	53065	44.220	ug/l	92
3) Chloromethane	2.074	50	69096	58.350	ug/l	98
4) Vinyl Chloride	2.214	62	66919	56.145	ug/l	99
5) Bromomethane	2.611	94	38298	51.988	ug/l	94
6) Chloroethane	2.751	64	43771	61.692	ug/l	98
7) Trichlorofluoromethane	3.074	101	107727	49.611	ug/l	98
8) Diethyl Ether	3.464	74	37523	55.354	ug/l	93
9) 1,1,2-Trichlorotrifluo...	3.836	101	65425	48.007	ug/l	96
10) Methyl Iodide	4.019	142	76705	50.662	ug/l	92
11) Tert butyl alcohol	4.915	59	22221	237.701	ug/l	96
12) 1,1-Dichloroethene	3.806	96	65745	51.212	ug/l	86
13) Acrolein	3.665	56	22617	157.114	ug/l	94
14) Allyl chloride	4.397	41	122719	56.720	ug/l	93
15) Acrylonitrile	5.080	53	84424	299.082	ug/l	99
16) Acetone	3.897	43	62919	292.469	ug/l	93
17) Carbon Disulfide	4.123	76	188763	46.891	ug/l	98
18) Methyl Acetate	4.409	43	51748	68.522	ug/l	94
19) Methyl tert-butyl Ether	5.135	73	185238	57.088	ug/l	100
20) Methylene Chloride	4.635	84	78534	58.723	ug/l	90
21) trans-1,2-Dichloroethene	5.141	96	76055	53.821	ug/l	96
22) Diisopropyl ether	6.037	45	271476	60.874	ug/l	97
23) Vinyl Acetate	5.982	43	735278	295.758	ug/l	97
24) 1,1-Dichloroethane	5.933	63	149132	57.076	ug/l	98
25) 2-Butanone	6.915	43	105003	297.023	ug/l	96
26) 2,2-Dichloropropane	6.903	77	124428	51.467	ug/l	97
27) cis-1,2-Dichloroethene	6.909	96	90095	55.391	ug/l	94
28) Bromochloromethane	7.262	49	66949	64.798	ug/l	94
29) Tetrahydrofuran	7.281	42	70365	294.152	ug/l	94
30) Chloroform	7.439	83	152860	56.956	ug/l	99
31) Cyclohexane	7.720	56	108795	46.238	ug/l	93
32) 1,1,1-Trichloroethane	7.628	97	138665	55.572	ug/l	99
36) 1,1-Dichloropropene	7.848	75	105033	50.550	ug/l	98
37) Ethyl Acetate	7.000	43	50245	55.122	ug/l	98
38) Carbon Tetrachloride	7.835	117	121178	49.912	ug/l	99
39) Methylcyclohexane	9.122	83	115614	45.490	ug/l	99
40) Benzene	8.091	78	324187	53.166	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022125\
 Data File : VY021275.D
 Acq On : 21 Feb 2025 09:37
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050

Quant Time: Feb 21 23:01:54 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 03 13:08:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.238	41	31065	58.909	ug/l	94
42) 1,2-Dichloroethane	8.171	62	91794	54.268	ug/l	97
43) Isopropyl Acetate	8.213	43	101862	56.240	ug/l	96
44) Trichloroethene	8.878	130	79263	50.313	ug/l	98
45) 1,2-Dichloropropane	9.152	63	79921	55.222	ug/l	98
46) Dibromomethane	9.244	93	42419	52.936	ug/l	96
47) Bromodichloromethane	9.433	83	117853	54.838	ug/l	98
48) Methyl methacrylate	9.231	41	47593	57.687	ug/l	91
49) 1,4-Dioxane	9.262	88	8064	1081.002	ug/l #	87
51) 4-Methyl-2-Pentanone	10.006	43	269630	296.038	ug/l	95
52) Toluene	10.183	92	204505	53.414	ug/l	99
53) t-1,3-Dichloropropene	10.402	75	104033	53.911	ug/l	99
54) cis-1,3-Dichloropropene	9.866	75	121404	53.134	ug/l #	90
55) 1,1,2-Trichloroethane	10.585	97	56063	54.028	ug/l	98
56) Ethyl methacrylate	10.451	69	78420	56.492	ug/l	88
57) 1,3-Dichloropropane	10.725	76	99821	55.577	ug/l	100
58) 2-Chloroethyl Vinyl ether	9.719	63	198856	301.108	ug/l	98
59) 2-Hexanone	10.774	43	173136	295.239	ug/l	95
60) Dibromochloromethane	10.920	129	78064	53.569	ug/l	99
61) 1,2-Dibromoethane	11.024	107	51996	53.496	ug/l	100
64) Tetrachloroethene	10.658	164	69573	49.474	ug/l	97
65) Chlorobenzene	11.451	112	219066	51.935	ug/l	98
66) 1,1,1,2-Tetrachloroethane	11.524	131	80486	53.694	ug/l	98
67) Ethyl Benzene	11.530	91	396201	53.106	ug/l	99
68) m/p-Xylenes	11.640	106	293291	105.084	ug/l	96
69) o-Xylene	11.963	106	138811	53.345	ug/l	97
70) Styrene	11.981	104	236391	54.506	ug/l	99
71) Bromoform	12.146	173	45063	54.009	ug/l #	98
73) Isopropylbenzene	12.268	105	378285	53.138	ug/l	100
74) N-amyl acetate	12.079	43	88587	56.918	ug/l	94
75) 1,1,2,2-Tetrachloroethane	12.517	83	64872	54.792	ug/l	99
76) 1,2,3-Trichloropropane	12.566	75	85546	103.478	ug/l #	100
77) Bromobenzene	12.542	156	84600	51.497	ug/l	96
78) n-propylbenzene	12.603	91	450276	53.097	ug/l	100
79) 2-Chlorotoluene	12.688	91	258141	53.148	ug/l	99
80) 1,3,5-Trimethylbenzene	12.749	105	307207	53.225	ug/l	100
81) trans-1,4-Dichloro-2-b...	12.316	75	20989	51.805	ug/l	93
82) 4-Chlorotoluene	12.786	91	262361	53.017	ug/l	98
83) tert-Butylbenzene	13.005	119	276564	52.716	ug/l	96
84) 1,2,4-Trimethylbenzene	13.054	105	303836	53.838	ug/l	99
85) sec-Butylbenzene	13.188	105	402885	53.349	ug/l	98
86) p-Isopropyltoluene	13.304	119	332768	53.046	ug/l	99
87) 1,3-Dichlorobenzene	13.298	146	164144	51.747	ug/l	100
88) 1,4-Dichlorobenzene	13.377	146	160145	51.275	ug/l	99
89) n-Butylbenzene	13.627	91	297313	51.951	ug/l	99
90) Hexachloroethane	13.889	117	70386	53.783	ug/l	85
91) 1,2-Dichlorobenzene	13.670	146	144792	52.591	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.285	75	9715	54.910	ug/l	96
93) 1,2,4-Trichlorobenzene	14.932	180	80920	52.803	ug/l	98
94) Hexachlorobutadiene	15.035	225	52391	51.589	ug/l	100
95) Naphthalene	15.157	128	140532	57.318	ug/l	99
96) 1,2,3-Trichlorobenzene	15.340	180	67936	53.269	ug/l	96


Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022125\
Data File : VY021275.D
Acq On : 21 Feb 2025 09:37
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Quant Time: Feb 21 23:01:54 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
Quant Title : SW846 8260
QLast Update : Mon Feb 03 13:08:38 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.726 min Scan# 98

Delta R.T. 0.013 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion:168 Resp: 134641

Ion Ratio Lower Upper

168 100

99 56.2 44.2 66.4



#2

Dichlorodifluoromethane

Concen: 44.220 ug/l

RT: 1.873 min Scan# 25

Delta R.T. 0.006 min

Lab File: VY021275.D




Acq: 21 Feb 2025 09:37


Tgt Ion: 85 Resp: 53065

Ion Ratio Lower Upper

85 100

87 29.8 17.1 51.3









#3
Chloromethane
Concen: 58.350 ug/l
RT: 2.074 min Scan# 58
Delta R.T. -0.000 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 50 Resp: 69096
Ion Ratio Lower Upper
50 100
52 32.1 26.7 40.1



#4
Vinyl Chloride
Concen: 56.145 ug/l
RT: 2.214 min Scan# 81
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 62 Resp: 66919
Ion Ratio Lower Upper
62 100
64 31.3 25.7 38.5









#5
Bromomethane
Concen: 51.988 ug/l
RT: 2.611 min Scan# 145
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 94 Resp: 38298
Ion Ratio Lower Upper
94 100
96 90.3 77.3 115.9



#6
Chloroethane
Concen: 61.692 ug/l
RT: 2.751 min Scan# 169
Delta R.T. 0.012 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 64 Resp: 43771
Ion Ratio Lower Upper
64 100
66 32.4 25.1 37.7









#7
 Trichlorofluoromethane
 Concen: 49.611 ug/l
 RT: 3.074 min Scan# 21
 Delta R.T. 0.006 min
 Lab File: VY021275.D
 Acq: 21 Feb 2025 09:37




Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050


Tgt Ion:101 Resp: 107727
 Ion Ratio Lower Upper
 101 100
 103 66.1 51.9 77.9



#8
 Diethyl Ether
 Concen: 55.354 ug/l
 RT: 3.464 min Scan# 286
 Delta R.T. 0.000 min
 Lab File: VY021275.D
 Acq: 21 Feb 2025 09:37

Tgt Ion: 74 Resp: 37523
 Ion Ratio Lower Upper
 74 100
 45 102.4 47.9 143.7









#9
1,1,2-Trichlorotrifluoroethane
Concen: 48.007 ug/l
RT: 3.836 min Scan# 34
Delta R.T. 0.012 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion:101 Resp: 65425
Ion Ratio Lower Upper
101 100
85 47.0 35.8 53.6
151 76.6 58.6 88.0



#10
Methyl Iodide
Concen: 50.662 ug/l
RT: 4.019 min Scan# 377
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion:142 Resp: 76705
Ion Ratio Lower Upper
142 100
127 50.5 35.1 52.7
141 15.0 11.8 17.6





#11

Tert butyl alcohol

Concen: 237.701 ug/l

RT: 4.915 min Scan# 51

Delta R.T. 0.043 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion: 59 Resp: 22221

Ion Ratio Lower Upper

59 100

57 10.5 7.4 11.0



#12

1,1-Dichloroethene

Concen: 51.212 ug/l

RT: 3.806 min Scan# 342

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion: 96 Resp: 65745


Ion Ratio Lower Upper

96 100

61 179.6 124.2 186.2

98 63.0 52.6 79.0





#13

Acrolein

Concen: 157.114 ug/l

RT: 3.665 min Scan# 31

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion: 56 Resp: 22617

Ion Ratio Lower Upper

56 100

55 73.9 55.4 83.0



#14

Allyl chloride

Concen: 56.720 ug/l

RT: 4.397 min Scan# 439

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion: 41 Resp: 122719


Ion Ratio Lower Upper

41 100

39 74.0 54.7 82.1

76 35.0 31.8 47.6









#15
Acrylonitrile
Concen: 299.082 ug/l
RT: 5.080 min Scan# 51
Delta R.T. 0.018 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 53 Resp: 84424
Ion Ratio Lower Upper
53 100
52 82.0 65.1 97.7
51 37.2 29.0 43.4



#16
Acetone
Concen: 292.469 ug/l
RT: 3.897 min Scan# 357
Delta R.T. 0.018 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 43 Resp: 62919
Ion Ratio Lower Upper
43 100
58 29.1 26.6 39.8









#17
Carbon Disulfide
Concen: 46.891 ug/l
RT: 4.123 min Scan# 394
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 76 Resp: 188763
Ion Ratio Lower Upper
76 100
78 8.5 7.4 11.0



#18
Methyl Acetate
Concen: 68.522 ug/l
RT: 4.409 min Scan# 441
Delta R.T. 0.012 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 43 Resp: 51748
Ion Ratio Lower Upper
43 100
74 21.9 19.8 29.6









#19
Methyl tert-butyl Ether
Concen: 57.088 ug/l
RT: 5.135 min Scan# 50
Delta R.T. 0.018 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 73 Resp: 185238
Ion Ratio Lower Upper
73 100
57 22.0 17.7 26.5



#20
Methylene Chloride
Concen: 58.723 ug/l
RT: 4.635 min Scan# 478
Delta R.T. 0.012 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 84 Resp: 78534
Ion Ratio Lower Upper
84 100
49 136.3 95.2 142.8
51 43.3 29.9 44.9
86 64.2 52.2 78.4









#21
trans-1,2-Dichloroethene
Concen: 53.821 ug/l
RT: 5.141 min Scan# 50
Delta R.T. 0.018 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 96 Resp: 76055
Ion Ratio Lower Upper
96 100
61 136.7 104.6 156.8
98 62.2 50.9 76.3



#22
Diisopropyl ether
Concen: 60.874 ug/l
RT: 6.037 min Scan# 708
Delta R.T. 0.012 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 45 Resp: 271476
Ion Ratio Lower Upper
45 100
43 59.8 46.8 70.2
87 24.3 22.2 33.2
59 11.6 9.9 14.9









#23
 Vinyl Acetate
 Concen: 295.758 ug/l
 RT: 5.982 min Scan# 69
 Delta R.T. 0.012 min
 Lab File: VY021275.D
 Acq: 21 Feb 2025 09:37




Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050


Tgt Ion: 43 Resp: 735278
 Ion Ratio Lower Upper
 43 100
 86 9.8 8.6 13.0



#24
 1,1-Dichloroethane
 Concen: 57.076 ug/l
 RT: 5.933 min Scan# 691
 Delta R.T. 0.012 min
 Lab File: VY021275.D
 Acq: 21 Feb 2025 09:37

Tgt Ion: 63 Resp: 149132
 Ion Ratio Lower Upper
 63 100
 98 6.8 3.8 11.4
 100 4.1 2.1 6.2





#25

2-Butanone

Concen: 297.023 ug/l

RT: 6.915 min Scan# 81

Delta R.T. 0.012 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion: 43 Resp: 105003

Ion Ratio Lower Upper

43 100

72 24.6 21.4 32.2



#26

2,2-Dichloropropane

Concen: 51.467 ug/l

RT: 6.903 min Scan# 850

Delta R.T. 0.012 min

Lab File: VY021275.D




Acq: 21 Feb 2025 09:37


Tgt Ion: 77 Resp: 124428

Ion Ratio Lower Upper

77 100

97 22.0 11.7 35.0









#27
 cis-1,2-Dichloroethene
 Concen: 55.391 ug/l
 RT: 6.909 min Scan# 849
 Delta R.T. 0.012 min
 Lab File: VY021275.D
 Acq: 21 Feb 2025 09:37




Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050


Tgt Ion: 96 Resp: 90095
 Ion Ratio Lower Upper
 96 100
 61 149.9 0.0 278.8
 98 63.5 0.0 127.0



#28
 Bromochloromethane
 Concen: 64.798 ug/l
 RT: 7.262 min Scan# 909
 Delta R.T. 0.012 min
 Lab File: VY021275.D
 Acq: 21 Feb 2025 09:37

Tgt Ion: 49 Resp: 66949
 Ion Ratio Lower Upper
 49 100
 129 2.1 0.0 3.8
 130 69.9 59.8 89.8





#29

Tetrahydrofuran

Concen: 294.152 ug/l

RT: 7.281 min Scan# 912

Delta R.T. 0.018 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion: 42 Resp: 70365

Ion Ratio Lower Upper

42 100

72 40.5 36.6 54.8

71 39.6 33.8 50.6



#30

Chloroform

Concen: 56.956 ug/l

RT: 7.439 min Scan# 938

Delta R.T. 0.012 min

Lab File: VY021275.D




Acq: 21 Feb 2025 09:37


Tgt Ion: 83 Resp: 152860

Ion Ratio Lower Upper

83 100

85 64.7 51.2 76.8









#31
Cyclohexane
Concen: 46.238 ug/l
RT: 7.720 min Scan# 984
Delta R.T. 0.012 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 56 Resp: 108795
Ion Ratio Lower Upper
56 100
69 32.2 27.0 40.6
84 81.9 71.8 107.6



#32
1,1,1-Trichloroethane
Concen: 55.572 ug/l
RT: 7.628 min Scan# 969
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 97 Resp: 138665
Ion Ratio Lower Upper
97 100
99 64.3 51.2 76.8
61 44.5 35.0 52.6





#33

1,2-Dichloroethane-d4

Concen: 53.279 ug/l

RT: 8.079 min Scan# 1041

Delta R.T. 0.012 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion: 65 Resp: 73499

Ion Ratio Lower Upper

65 100

67 52.4 0.0 109.0



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.628 min Scan# 1133

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion: 114 Resp: 218893


Ion Ratio Lower Upper

114 100

63 20.9 0.0 37.4

88 15.8 0.0 29.0





#35

Dibromofluoromethane

Concen: 51.569 ug/l

RT: 7.646 min Scan# 91

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion:113 Resp: 72342

Ion Ratio Lower Upper

113 100

111 100.2 83.8 125.6

192 19.6 14.5 21.7



#36

1,1-Dichloropropene

Concen: 50.550 ug/l

RT: 7.848 min Scan# 1005

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion: 75 Resp: 105033


Ion Ratio Lower Upper

75 100

110 33.8 17.4 52.3

77 30.1 24.7 37.1





#37

Ethyl Acetate

Concen: 55.122 ug/l

RT: 7.000 min Scan# 80

Delta R.T. 0.012 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion: 43 Resp: 50245

Ion Ratio Lower Upper

43 100

61 13.0 11.0 16.6

70 9.2 8.1 12.1



#38

Carbon Tetrachloride

Concen: 49.912 ug/l

RT: 7.835 min Scan# 1003

Delta R.T. 0.012 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion: 117 Resp: 121178


Ion Ratio Lower Upper

117 100

119 94.2 76.0 114.0

121 30.3 24.2 36.2





#39

Methylcyclohexane

Concen: 45.490 ug/l

RT: 9.122 min Scan# 11

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion: 83 Resp: 115614

Ion Ratio Lower Upper

83 100

55 74.0 59.7 89.5

98 47.1 38.0 57.0



#40

Benzene

Concen: 53.166 ug/l

RT: 8.091 min Scan# 1045

Delta R.T. 0.006 min

Lab File: VY021275.D




Acq: 21 Feb 2025 09:37


Tgt Ion: 78 Resp: 324187

Ion Ratio Lower Upper

78 100

77 24.2 18.8 28.2









#41
Methacrylonitrile
Concen: 58.909 ug/l
RT: 7.238 min Scan# 903
Delta R.T. 0.012 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion:	41	Resp:	31065
Ion	Ratio	Lower	Upper
41	100		
39	54.4	41.9	62.9
67	66.7	59.8	89.6
52	28.5	24.8	37.2



#42
1,2-Dichloroethane
Concen: 54.268 ug/l
RT: 8.171 min Scan# 1058
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion:	62	Resp:	91794
Ion	Ratio	Lower	Upper
62	100		
98	8.9	0.0	20.2









#43
Isopropyl Acetate
Concen: 56.240 ug/l
RT: 8.213 min Scan# 1065
Delta R.T. 0.012 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 43 Resp: 101862
Ion Ratio Lower Upper
43 100
61 28.2 24.8 37.2
87 12.4 10.7 16.1



#44
Trichloroethene
Concen: 50.313 ug/l
RT: 8.878 min Scan# 1174
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 130 Resp: 79263
Ion Ratio Lower Upper
130 100
95 100.2 0.0 203.8





#45

1,2-Dichloropropane

Concen: 55.222 ug/l

RT: 9.152 min Scan# 1219

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion: 63 Resp: 79921

Ion Ratio Lower Upper

63 100

65 29.8 24.6 36.8



#46

Dibromomethane

Concen: 52.936 ug/l

RT: 9.244 min Scan# 1234

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion: 93 Resp: 42419


Ion Ratio Lower Upper

93 100

95 82.3 66.6 99.8

174 98.6 73.8 110.6









#47
Bromodichloromethane
Concen: 54.838 ug/l
RT: 9.433 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 83 Resp: 117853
Ion Ratio Lower Upper
83 100
85 64.9 53.2 79.8
127 8.0 6.4 9.6



#48
Methyl methacrylate
Concen: 57.687 ug/l
RT: 9.231 min Scan# 1232
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 41 Resp: 47593
Ion Ratio Lower Upper
41 100
69 81.3 72.1 108.1
39 59.8 42.8 64.2





#49

1,4-Dioxane

Concen: 1081.002 ug/l

RT: 9.262 min Scan# 11

Delta R.T. 0.030 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion: 88 Resp: 8064

Ion Ratio Lower Upper

88 100

43 27.9 28.2 42.4#

58 75.3 52.2 78.2



#50

Toluene-d8

Concen: 49.121 ug/l

RT: 10.115 min Scan# 1377

Delta R.T. 0.006 min

Lab File: VY021275.D




Acq: 21 Feb 2025 09:37


Tgt Ion: 98 Resp: 262335

Ion Ratio Lower Upper

98 100

100 64.9 52.3 78.5









#51
4-Methyl-2-Pentanone
Concen: 296.038 ug/l
RT: 10.006 min Scan# 1358
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 43 Resp: 269630
Ion Ratio Lower Upper
43 100
58 36.9 32.2 48.2



#52
Toluene
Concen: 53.414 ug/l
RT: 10.183 min Scan# 1388
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 92 Resp: 204505
Ion Ratio Lower Upper
92 100
91 173.9 137.6 206.4





#53

t-1,3-Dichloropropene

Concen: 53.911 ug/l

RT: 10.402 min Scan# 1423

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion: 75 Resp: 104033

Ion Ratio Lower Upper

75 100

77 30.1 24.6 36.8



#54

cis-1,3-Dichloropropene

Concen: 53.134 ug/l

RT: 9.866 min Scan# 1336

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion: 75 Resp: 121404


Ion Ratio Lower Upper

75 100

77 31.1 24.6 36.8

39 52.6 33.6 50.4#





#55

1,1,2-Trichloroethane

Concen: 54.028 ug/l

RT: 10.585 min Scan# 1453

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050

Tgt Ion: 97 Resp: 56063





Ion Ratio Lower Upper

97 100

83 85.4 69.4 104.2

85 55.7 43.9 65.9

99 64.5 48.6 73.0



#56

Ethyl methacrylate

Concen: 56.492 ug/l

RT: 10.451 min Scan# 1432

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion: 69 Resp: 78420


Ion Ratio Lower Upper

69 100

41 72.0 49.2 73.8

39 39.3 26.8 40.2









#57
1,3-Dichloropropane
Concen: 55.577 ug/l
RT: 10.725 min Scan# 1477
Delta R.T. -0.000 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 76 Resp: 99821
Ion Ratio Lower Upper
76 100
78 32.4 26.1 39.1



#58
2-Chloroethyl Vinyl ether
Concen: 301.108 ug/l
RT: 9.719 min Scan# 1312
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 63 Resp: 198856
Ion Ratio Lower Upper
63 100
106 27.0 22.4 33.6









#59
2-Hexanone
Concen: 295.239 ug/l
RT: 10.774 min Scan# 1485
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 43 Resp: 173136
Ion Ratio Lower Upper
43 100
58 52.5 28.1 84.3



#60
Dibromochloromethane
Concen: 53.569 ug/l
RT: 10.920 min Scan# 1509
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 129 Resp: 78064
Ion Ratio Lower Upper
129 100
127 77.4 39.2 117.6









#61
1,2-Dibromoethane
Concen: 53.496 ug/l
RT: 11.024 min Scan# 1526
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion:107 Resp: 51996
Ion Ratio Lower Upper
107 100
109 94.7 75.4 113.2



#62
4-Bromofluorobenzene
Concen: 50.693 ug/l
RT: 12.414 min Scan# 1754
Delta R.T. -0.000 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 95 Resp: 88447
Ion Ratio Lower Upper
95 100
174 84.0 0.0 160.0
176 82.2 0.0 151.8





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.426 min Scan# 11

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion:117 Resp: 189433

Ion Ratio Lower Upper

117 100

82 58.3 43.8 65.8

119 32.6 26.5 39.7



#64

Tetrachloroethene

Concen: 49.474 ug/l

RT: 10.658 min Scan# 1466

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Tgt Ion:164 Resp: 69573




Ion Ratio Lower Upper


164 100

166 125.4 98.8 148.2

129 94.0 78.9 118.3

131 88.1 72.5 108.7





#65

Chlorobenzene

Concen: 51.935 ug/l

RT: 11.451 min Scan# 1595

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion:112 Resp: 219066

Ion Ratio Lower Upper

112 100

114 31.7 26.1 39.1



#66

1,1,1,2-Tetrachloroethane

Concen: 53.694 ug/l

RT: 11.524 min Scan# 1608

Delta R.T. -0.000 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion:131 Resp: 80486


Ion Ratio Lower Upper

131 100

133 95.4 47.0 141.0

119 64.0 33.3 99.9





#67

Ethyl Benzene

Concen: 53.106 ug/l

RT: 11.530 min Scan# 1609

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion: 91 Resp: 396201

Ion Ratio Lower Upper

91 100

106 30.5 25.0 37.4



#68

m/p-Xylenes

Concen: 105.084 ug/l

RT: 11.640 min Scan# 1627

Delta R.T. 0.006 min

Lab File: VY021275.D




Acq: 21 Feb 2025 09:37


Tgt Ion:106 Resp: 293291

Ion Ratio Lower Upper

106 100

91 206.3 160.7 241.1









#69
o-Xylene
Concen: 53.345 ug/l
RT: 11.963 min Scan# 1680
Delta R.T. -0.000 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion:106 Resp: 138811
Ion Ratio Lower Upper
106 100
91 217.0 106.5 319.5



#70
Styrene
Concen: 54.506 ug/l
RT: 11.981 min Scan# 1683
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion:104 Resp: 236391
Ion Ratio Lower Upper
104 100
78 50.6 39.2 58.8
103 54.9 43.8 65.6





#71

Bromoform

Concen: 54.009 ug/l

RT: 12.146 min Scan# 11

Delta R.T. 0.012 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion:173 Resp: 45063

Ion Ratio Lower Upper

173 100

175 48.2 23.5 70.6

254 0.0 0.0 0.0



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.359 min Scan# 1909

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion:152 Resp: 91135


Ion Ratio Lower Upper

152 100

115 58.6 30.0 90.0

150 176.1 0.0 344.6









#73
Isopropylbenzene
Concen: 53.138 ug/l
RT: 12.268 min Scan# 1730
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion:105 Resp: 378285
Ion Ratio Lower Upper
105 100
120 26.2 13.0 39.0



#74
N-amy1 acetate
Concen: 56.918 ug/l
RT: 12.079 min Scan# 1699
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 43 Resp: 88587
Ion Ratio Lower Upper
43 100
70 41.2 36.6 55.0
55 25.2 22.2 33.4
61 23.1 20.2 30.4









#75
1,1,2,2-Tetrachloroethane
Concen: 54.792 ug/l
RT: 12.517 min Scan# 1771
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 83 Resp: 64872
Ion Ratio Lower Upper
83 100
131 10.3 4.9 14.6
85 64.2 32.6 98.0



#76
1,2,3-Trichloropropane
Concen: 103.478 ug/l
RT: 12.566 min Scan# 1779
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 75 Resp: 85546
Ion Ratio Lower Upper
75 100
77 0.0 0.0 0.0





#77

Bromobenzene

Concen: 51.497 ug/l

RT: 12.542 min Scan# 1775

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion:156 Resp: 84600

Ion Ratio Lower Upper

156 100

77 185.6 97.3 291.8

158 96.2 48.4 145.0



#78

n-propylbenzene

Concen: 53.097 ug/l

RT: 12.603 min Scan# 1785

Delta R.T. 0.000 min

Lab File: VY021275.D




Acq: 21 Feb 2025 09:37


Tgt Ion: 91 Resp: 450276

Ion Ratio Lower Upper

91 100

120 22.2 11.0 33.0









#79
2-Chlorotoluene
Concen: 53.148 ug/l
RT: 12.688 min Scan# 1799
Delta R.T. 0.000 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 91 Resp: 258141
Ion Ratio Lower Upper
91 100
126 33.6 17.0 51.0



#80
1,3,5-Trimethylbenzene
Concen: 53.225 ug/l
RT: 12.749 min Scan# 1809
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 105 Resp: 307207
Ion Ratio Lower Upper
105 100
120 48.4 24.3 72.8









#81
trans-1,4-Dichloro-2-butene
Concen: 51.805 ug/l
RT: 12.316 min Scan# 1738
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion:	75	Resp:	20989
Ion	Ratio	Lower	Upper
75	100		
53	100.8	74.0	111.0
89	47.2	36.5	54.7



#82
4-Chlorotoluene
Concen: 53.017 ug/l
RT: 12.786 min Scan# 1815
Delta R.T. -0.000 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion:	91	Resp:	262361
Ion	Ratio	Lower	Upper
91	100		
126	33.1	17.1	51.2





#83

tert-Butylbenzene

Concen: 52.716 ug/l

RT: 13.005 min Scan# 1851

Delta R.T. 0.000 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion:119 Resp: 276564

Ion Ratio Lower Upper

119 100

91 67.5 31.5 94.5

134 26.8 13.1 39.3



#84

1,2,4-Trimethylbenzene

Concen: 53.838 ug/l

RT: 13.054 min Scan# 1859

Delta R.T. 0.006 min

Lab File: VY021275.D




Acq: 21 Feb 2025 09:37


Tgt Ion:105 Resp: 303836

Ion Ratio Lower Upper

105 100

120 43.8 22.1 66.3





#85

sec-Butylbenzene

Concen: 53.349 ug/l

RT: 13.188 min Scan# 1880

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion:105 Resp: 402885

Ion Ratio Lower Upper

105 100

134 20.1 9.7 28.9



#86

p-Isopropyltoluene

Concen: 53.046 ug/l

RT: 13.304 min Scan# 1900

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion:119 Resp: 332768


Ion Ratio Lower Upper

119 100

134 26.0 13.1 39.1

91 24.5 11.7 35.0









#87
1,3-Dichlorobenzene
Concen: 51.747 ug/l
RT: 13.298 min Scan# 1898
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion:146 Resp: 164144
Ion Ratio Lower Upper
146 100
111 40.4 20.2 60.5
148 63.9 31.9 95.9



#88
1,4-Dichlorobenzene
Concen: 51.275 ug/l
RT: 13.377 min Scan# 1912
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion:146 Resp: 160145
Ion Ratio Lower Upper
146 100
111 39.2 19.3 57.9
148 64.0 31.6 94.7









#89
n-Butylbenzene
Concen: 51.951 ug/l
RT: 13.627 min Scan# 1953
Delta R.T. 0.006 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050


Tgt Ion: 91 Resp: 297313
Ion Ratio Lower Upper
91 100
92 52.4 26.4 79.2
134 25.4 12.3 36.8



#90
Hexachloroethane
Concen: 53.783 ug/l
RT: 13.889 min Scan# 1996
Delta R.T. -0.000 min
Lab File: VY021275.D
Acq: 21 Feb 2025 09:37

Tgt Ion: 117 Resp: 70386
Ion Ratio Lower Upper
117 100
201 78.6 33.4 100.1





#91

1,2-Dichlorobenzene

Concen: 52.591 ug/l

RT: 13.670 min Scan# 1959

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion:146 Resp: 144792

Ion Ratio Lower Upper

146 100

111 41.3 20.5 61.6

148 63.8 31.4 94.3



#92

1,2-Dibromo-3-Chloropropane

Concen: 54.910 ug/l

RT: 14.285 min Scan# 2061

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion: 75 Resp: 9715


Ion Ratio Lower Upper

75 100

155 86.7 42.1 126.3

157 105.4 55.8 167.4





#93

1,2,4-Trichlorobenzene

Concen: 52.803 ug/l

RT: 14.932 min Scan# 2167

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion:180 Resp: 80920

Ion Ratio Lower Upper

180 100

182 93.8 47.9 143.7

145 30.1 15.9 47.7



#94

Hexachlorobutadiene

Concen: 51.589 ug/l

RT: 15.035 min Scan# 2184

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37




Tgt Ion:225 Resp: 52391


Ion Ratio Lower Upper

225 100

223 63.6 31.4 94.3

227 64.5 32.3 96.8





#95

Naphthalene

Concen: 57.318 ug/l

RT: 15.157 min Scan# 2203

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion:128 Resp: 140532

Ion Ratio Lower Upper

128 100

127 13.2 10.2 15.4

129 10.7 8.6 12.8



#96

1,2,3-Trichlorobenzene

Concen: 53.269 ug/l

RT: 15.340 min Scan# 2234

Delta R.T. 0.006 min

Lab File: VY021275.D

Acq: 21 Feb 2025 09:37

Tgt Ion:180 Resp: 67936

Ion Ratio Lower Upper

180 100

182 96.9 46.3 138.8

145 32.9 16.1 48.2

