

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022125\
 Data File : VY021285.D
 Acq On : 21 Feb 2025 15:00
 Operator : SY/MD
 Sample : Q1383-13
 Misc : 5.18g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OU4-PCS-TC-17-021725

Quant Time: Feb 21 23:08:21 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 03 13:08:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.719	168	169502	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	329422	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	311982	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	121669	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	106392	61.262	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	122.520%
35) Dibromofluoromethane	7.640	113	108800	51.536	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.080%
50) Toluene-d8	10.115	98	410296	51.049	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	102.100%
62) 4-Bromofluorobenzene	12.408	95	130342	49.640	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	99.280%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022125\
Data File : VY021285.D
Acq On : 21 Feb 2025 15:00
Operator : SY/MD
Sample : Q1383-13
Misc : 5.18g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OU4-PCS-TC-17-021725

Quant Time: Feb 21 23:08:21 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
Quant Title : SW846 8260
QLast Update : Mon Feb 03 13:08:38 2025
Response via : Initial Calibration

