

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022125\
 Data File : VY021289.D
 Acq On : 21 Feb 2025 16:34
 Operator : SY/MD
 Sample : Q1383-21
 Misc : 5.77g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OU4-CF-15-021725

Quant Time: Feb 21 23:09:28 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 03 13:08:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	164292	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	317351	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	306581	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	125058	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	109018	64.764	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	129.520%
35) Dibromofluoromethane	7.640	113	106356	52.294	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.580%
50) Toluene-d8	10.109	98	398732	51.497	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	103.000%
62) 4-Bromofluorobenzene	12.408	95	129990	51.389	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	102.780%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY022125\
Data File : VY021289.D
Acq On : 21 Feb 2025 16:34
Operator : SY/MD
Sample : Q1383-21
Misc : 5.77g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OU4-CF-15-021725

Quant Time: Feb 21 23:09:28 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020325S.M
Quant Title : SW846 8260
QLast Update : Mon Feb 03 13:08:38 2025
Response via : Initial Calibration

