

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY030525\
 Data File : VY021408.D
 Acq On : 05 Mar 2025 13:23
 Operator : SY/MD
 Sample : VY0305SBS01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0305SBS01

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 03/06/2025
 Supervised By :Semsettin Yesilyurt 03/06/2025

Quant Time: Mar 06 02:54:49 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	201041	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	324142	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	291860	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	150751	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	125199	58.920	ug/l	0.00
Spiked Amount 50.000	Range 50 - 163		Recovery = 117.840%			
35) Dibromofluoromethane	7.634	113	116577	54.715	ug/l	0.00
Spiked Amount 50.000	Range 54 - 147		Recovery = 109.420%			
50) Toluene-d8	10.109	98	436802	54.145	ug/l	0.00
Spiked Amount 50.000	Range 58 - 134		Recovery = 108.300%			
62) 4-Bromofluorobenzene	12.408	95	150167	54.723	ug/l	0.00
Spiked Amount 50.000	Range 30 - 143		Recovery = 109.440%			
Target Compounds						
					Qvalue	
2) Dichlorodifluoromethane	1.861	85	33231	18.013	ug/l	100
3) Chloromethane	2.068	50	51497	19.799	ug/l	99
4) Vinyl Chloride	2.202	62	57247	20.140	ug/l	98
5) Bromomethane	2.586	94	46445	22.608	ug/l	91
6) Chloroethane	2.732	64	39324	20.935	ug/l	100
7) Trichlorofluoromethane	3.056	101	78633	19.820	ug/l	99
8) Diethyl Ether	3.452	74	22874	20.805	ug/l	98
9) 1,1,2-Trichlorotrifluo...	3.805	101	43591	19.244	ug/l	98
10) Methyl Iodide	4.000	142	39500	17.155	ug/l	99
11) Tert butyl alcohol	4.860	59	17133	111.532	ug/l	100
12) 1,1-Dichloroethene	3.787	96	39242	19.002	ug/l	98
13) Acrolein	3.653	56	22369	206.968	ug/l	88
14) Allyl chloride	4.385	41	64477	19.320	ug/l	98
15) Acrylonitrile	5.055	53	49253	105.234	ug/l	99
16) Acetone	3.872	43	39199	84.580	ug/l	90
17) Carbon Disulfide	4.104	76	120116	18.559	ug/l	99
18) Methyl Acetate	4.385	43	22479	21.860	ug/l	99
19) Methyl tert-butyl Ether	5.116	73	105913	20.235	ug/l	100
20) Methylene Chloride	4.616	84	50901	20.923	ug/l	98
21) trans-1,2-Dichloroethene	5.110	96	44469	19.228	ug/l	96
22) Diisopropyl ether	6.012	45	144821	20.136	ug/l	98
23) Vinyl Acetate	5.957	43	417412	101.692	ug/l	99
24) 1,1-Dichloroethane	5.915	63	84703	19.954	ug/l	97
25) 2-Butanone	6.890	43	61479	95.896	ug/l	98
26) 2,2-Dichloropropane	6.884	77	71921	18.414	ug/l	99
27) cis-1,2-Dichloroethene	6.884	96	51210	19.491	ug/l	98
28) Bromochloromethane	7.244	49	41531	23.337	ug/l	100
29) Tetrahydrofuran	7.262	42	41037	103.686	ug/l	99
30) Chloroform	7.414	83	88860	20.159	ug/l	99
31) Cyclohexane	7.701	56	72700	18.268	ug/l	98
32) 1,1,1-Trichloroethane	7.616	97	78159	19.366	ug/l	100
36) 1,1-Dichloropropene	7.835	75	60422	18.117	ug/l	99
37) Ethyl Acetate	6.988	43	28618	19.414	ug/l	98
38) Carbon Tetrachloride	7.817	117	68825	17.944	ug/l	97
39) Methylcyclohexane	9.109	83	71472	17.471	ug/l	96
40) Benzene	8.079	78	183943	18.723	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY030525\
 Data File : VY021408.D
 Acq On : 05 Mar 2025 13:23
 Operator : SY/MD
 Sample : VY0305SBS01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0305SBS01

Quant Time: Mar 06 02:54:49 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 03/06/2025
 Supervised By :Semsettin Yesilyurt 03/06/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.219	41	13154	16.389	ug/l #	80
42) 1,2-Dichloroethane	8.158	62	54126	19.693	ug/l	99
43) Isopropyl Acetate	8.195	43	56825	19.858	ug/l #	87
44) Trichloroethene	8.865	130	45770	18.436	ug/l	94
45) 1,2-Dichloropropane	9.140	63	45562	19.486	ug/l	95
46) Dibromomethane	9.231	93	26801	20.600	ug/l	98
47) Bromodichloromethane	9.420	83	67238	19.461	ug/l	97
48) Methyl methacrylate	9.219	41	24819	18.888	ug/l	96
49) 1,4-Dioxane	9.231	88	5657	442.995	ug/l	97
51) 4-Methyl-2-Pentanone	9.999	43	148465	100.554	ug/l	98
52) Toluene	10.170	92	116326	18.781	ug/l	98
53) t-1,3-Dichloropropene	10.396	75	58266	19.141	ug/l	98
54) cis-1,3-Dichloropropene	9.859	75	68500	18.954	ug/l	97
55) 1,1,2-Trichloroethane	10.572	97	34408	20.218	ug/l	97
56) Ethyl methacrylate	10.438	69	42142	19.416	ug/l	99
57) 1,3-Dichloropropane	10.719	76	58515	19.838	ug/l	99
58) 2-Chloroethyl Vinyl ether	9.713	63	113664	113.443	ug/l	99
59) 2-Hexanone	10.761	43	96128	98.464	ug/l	98
60) Dibromochloromethane	10.914	129	45075	19.320	ug/l	98
61) 1,2-Dibromoethane	11.018	107	31570	19.655	ug/l	98
64) Tetrachloroethene	10.646	164	44038	18.556	ug/l	98
65) Chlorobenzene	11.444	112	126311	18.327	ug/l	99
66) 1,1,1,2-Tetrachloroethane	11.517	131	45239	18.566	ug/l	99
67) Ethyl Benzene	11.517	91	214834	17.759	ug/l	99
68) m/p-Xylenes	11.627	106	165974	36.139	ug/l	97
69) o-Xylene	11.956	106	78391	18.520	ug/l	98
70) Styrene	11.969	104	129901	18.499	ug/l	99
71) Bromoform	12.133	173	26059	19.131	ug/l #	98
73) Isopropylbenzene	12.255	105	204580	17.228	ug/l	100
74) N-amyl acetate	12.072	43	46083	17.869	ug/l	98
75) 1,1,2,2-Tetrachloroethane	12.505	83	40368	19.264	ug/l	99
76) 1,2,3-Trichloropropane	12.560	75	30667m	20.188	ug/l	
77) Bromobenzene	12.536	156	50134	18.046	ug/l	99
78) n-propylbenzene	12.596	91	252857	17.533	ug/l	100
79) 2-Chlorotoluene	12.682	91	147554	17.893	ug/l	99
80) 1,3,5-Trimethylbenzene	12.737	105	170075	17.624	ug/l	100
81) trans-1,4-Dichloro-2-b...	12.304	75	11885	17.786	ug/l	99
82) 4-Chlorotoluene	12.779	91	153571	17.984	ug/l	100
83) tert-Butylbenzene	12.999	119	150690	17.504	ug/l	99
84) 1,2,4-Trimethylbenzene	13.048	105	172723	18.026	ug/l	99
85) sec-Butylbenzene	13.176	105	222289	17.354	ug/l	100
86) p-Isopropyltoluene	13.291	119	186571	17.680	ug/l	99
87) 1,3-Dichlorobenzene	13.291	146	98953	17.894	ug/l	99
88) 1,4-Dichlorobenzene	13.371	146	97999	18.120	ug/l	99
89) n-Butylbenzene	13.621	91	171289	17.578	ug/l	99
90) Hexachloroethane	13.883	117	38963	17.307	ug/l	98
91) 1,2-Dichlorobenzene	13.663	146	86839	18.321	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.273	75	6117	19.487	ug/l	93
93) 1,2,4-Trichlorobenzene	14.925	180	46609	18.004	ug/l	100
94) Hexachlorobutadiene	15.029	225	29484	18.168	ug/l	99
95) Naphthalene	15.145	128	72844	18.669	ug/l	100
96) 1,2,3-Trichlorobenzene	15.328	180	39473	18.129	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY030525\
Data File : VY021408.D
Acq On : 05 Mar 2025 13:23
Operator : SY/MD
Sample : VY0305SBS01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01


Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025

Quant Time: Mar 06 02:54:49 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01



Tgt Ion:168 Resp: 20104
Ion Ratio Lower Upper
168 100
99 56.8 46.0 69.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#2
Dichlorodifluoromethane
Concen: 18.013 ug/l
RT: 1.861 min Scan# 23
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion: 85 Resp: 33231
Ion Ratio Lower Upper
85 100
87 31.2 15.7 47.0





#3
Chloromethane
Concen: 19.799 ug/l
RT: 2.068 min Scan# 51
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01



Tgt Ion: 50 Resp: 5149
Ion Ratio Lower Upper
50 100
52 33.4 26.2 39.2




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#4
Vinyl Chloride
Concen: 20.140 ug/l
RT: 2.202 min Scan# 79
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion: 62 Resp: 57247
Ion Ratio Lower Upper
62 100
64 31.3 26.2 39.2





#5
Bromomethane
Concen: 22.608 ug/l
RT: 2.586 min Scan# 145
Delta R.T. -0.018 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01




Tgt Ion: 94 Resp: 4644
Ion Ratio Lower Upper
94 100
96 86.8 76.3 114.5

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025




#6
Chloroethane
Concen: 20.935 ug/l
RT: 2.732 min Scan# 166
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Tgt Ion: 64 Resp: 39324
Ion Ratio Lower Upper
64 100
66 33.4 26.7 40.1





#7
 Trichlorofluoromethane
 Concen: 19.820 ug/l
 RT: 3.056 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0305SBS01




Tgt Ion:101 Resp: 7863
 Ion Ratio Lower Upper
 101 100
 103 65.8 51.7 77.5

Manual Integrations
 APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
 Supervised By :Semsettin Yesilyurt 03/06/2025




#8
 Diethyl Ether
 Concen: 20.805 ug/l
 RT: 3.452 min Scan# 284
 Delta R.T. -0.006 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23



Tgt Ion: 74 Resp: 22874
 Ion Ratio Lower Upper
 74 100
 45 97.7 49.7 149.1









#9
1,1,2-Trichlorotrifluoroethane
Concen: 19.244 ug/l
RT: 3.805 min Scan# 346
Delta R.T. -0.025 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01

Tgt Ion:101 Resp: 4359
Ion Ratio Lower Upper
101 100
85 44.7 37.1 55.7
151 75.8 62.1 93.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#10
Methyl Iodide
Concen: 17.155 ug/l
RT: 4.000 min Scan# 374
Delta R.T. -0.012 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion:142 Resp: 39500
Ion Ratio Lower Upper
142 100
127 49.1 39.1 58.7
141 15.5 11.8 17.6





#11
Tert butyl alcohol
Concen: 111.532 ug/l
RT: 4.860 min Scan# 517
Delta R.T. -0.012 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01




Tgt Ion: 59 Resp: 1713
Ion Ratio Lower Upper
59 100
57 10.1 8.2 12.4

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025




#12
1,1-Dichloroethene
Concen: 19.002 ug/l
RT: 3.787 min Scan# 339
Delta R.T. -0.012 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Tgt Ion: 96 Resp: 39242
Ion Ratio Lower Upper
96 100
61 166.5 135.2 202.8
98 65.8 51.4 77.2





#13
Acrolein
Concen: 206.968 ug/l
RT: 3.653 min Scan# 317
Delta R.T. -0.012 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01



Tgt Ion: 56 Resp: 22369
Ion Ratio Lower Upper
56 100
55 69.1 63.4 95.2




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#14
Allyl chloride
Concen: 19.320 ug/l
RT: 4.385 min Scan# 437
Delta R.T. -0.012 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion: 41 Resp: 64477
Ion Ratio Lower Upper
41 100
39 75.6 59.3 88.9
76 36.0 29.8 44.8





#15
Acrylonitrile
Concen: 105.234 ug/l
RT: 5.055 min Scan# 549
Delta R.T. -0.012 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01



Tgt Ion: 53 Resp: 4925
Ion Ratio Lower Upper
53 100
52 81.2 66.3 99.5
51 38.0 30.3 45.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#16
Acetone
Concen: 84.580 ug/l
RT: 3.872 min Scan# 353
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion: 43 Resp: 39199
Ion Ratio Lower Upper
43 100
58 32.7 22.1 33.1





#17
Carbon Disulfide
Concen: 18.559 ug/l
RT: 4.104 min Scan# 391
Delta R.T. -0.012 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01



Tgt Ion: 76 Resp: 120110
Ion Ratio Lower Upper
76 100
78 8.8 7.4 11.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#18
Methyl Acetate
Concen: 21.860 ug/l
RT: 4.385 min Scan# 437
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Tgt Ion: 43 Resp: 22479
Ion Ratio Lower Upper
43 100
74 23.7 19.4 29.0









#19
Methyl tert-butyl Ether
Concen: 20.235 ug/l
RT: 5.116 min Scan# 51
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01

Tgt Ion: 73 Resp: 10591
Ion Ratio Lower Upper
73 100
57 22.4 17.9 26.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#20
Methylene Chloride
Concen: 20.923 ug/l
RT: 4.616 min Scan# 475
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion: 84 Resp: 50901
Ion Ratio Lower Upper
84 100
49 131.7 102.0 153.0
51 40.8 33.0 49.6
86 62.8 50.5 75.7





#21
trans-1,2-Dichloroethene
Concen: 19.228 ug/l
RT: 5.110 min Scan# 5110
Delta R.T. -0.018 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01




Tgt Ion: 96 Resp: 44469
Ion Ratio Lower Upper
96 100
61 136.8 111.5 167.3
98 61.3 53.8 80.8

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025




#22
Diisopropyl ether
Concen: 20.136 ug/l
RT: 6.012 min Scan# 704
Delta R.T. -0.012 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23



Tgt Ion: 45 Resp: 144821
Ion Ratio Lower Upper
45 100
43 60.9 48.7 73.1
87 24.4 21.5 32.3
59 10.6 9.3 13.9









#23
 Vinyl Acetate
 Concen: 101.692 ug/l
 RT: 5.957 min Scan# 697
 Delta R.T. -0.012 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0305SBS01

Tgt Ion: 43 Resp: 41741
 Ion Ratio Lower Upper
 43 100
 86 10.8 8.5 12.7




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
 Supervised By :Semsettin Yesilyurt 03/06/2025



#24
 1,1-Dichloroethane
 Concen: 19.954 ug/l
 RT: 5.915 min Scan# 688
 Delta R.T. -0.012 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23

Tgt Ion: 63 Resp: 84703
 Ion Ratio Lower Upper
 63 100
 98 8.1 3.3 9.9
 100 4.9 2.1 6.5





#25

2-Butanone

Concen: 95.896 ug/l

RT: 6.890 min Scan# 84

Delta R.T. -0.006 min

Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Instrument :

MSVOA_Y

ClientSampleId :

VY0305SBS01

Tgt Ion: 43 Resp: 61479

Ion Ratio Lower Upper

43 100





72 25.8 21.4 32.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 03/06/2025

Supervised By :Semsettin Yesilyurt 03/06/2025



#26

2,2-Dichloropropane

Concen: 18.414 ug/l

RT: 6.884 min Scan# 847

Delta R.T. -0.006 min

Lab File: VY021408.D




Acq: 05 Mar 2025 13:23


Tgt Ion: 77 Resp: 71921

Ion Ratio Lower Upper

77 100


97 21.9 11.3 33.8





#27
 cis-1,2-Dichloroethene
 Concen: 19.491 ug/l
 RT: 6.884 min Scan# 849
 Delta R.T. -0.012 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0305SBS01



Tgt Ion: 96 Resp: 51210
 Ion Ratio Lower Upper
 96 100
 61 147.6 0.0 300.8
 98 66.7 0.0 130.0




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
 Supervised By :Semsettin Yesilyurt 03/06/2025



#28
 Bromochloromethane
 Concen: 23.337 ug/l
 RT: 7.244 min Scan# 906
 Delta R.T. -0.006 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23

Tgt Ion: 49 Resp: 41531
 Ion Ratio Lower Upper
 49 100
 129 2.3 0.0 4.2
 130 74.8 59.6 89.4





#29

Tetrahydrofuran

Concen: 103.686 ug/l

RT: 7.262 min Scan# 909

Delta R.T. -0.006 min

Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Instrument :

MSVOA_Y

ClientSampleId :





VY0305SBS01

Tgt Ion:	42	Resp:	4103
Ion	Ratio	Lower	Upper
42	100		
72	42.9	34.8	52.2
71	41.5	32.6	48.8

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#30

Chloroform

Concen: 20.159 ug/l




RT: 7.414 min Scan# 934


Delta R.T. -0.012 min

Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Tgt Ion:	83	Resp:	88860
Ion	Ratio	Lower	Upper
83	100		
85	65.8	53.1	79.7





#31

Cyclohexane

Concen: 18.268 ug/l

RT: 7.701 min Scan# 982

Delta R.T. -0.006 min

Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Instrument :

MSVOA_Y

ClientSampleId :

VY0305SBS01





Tgt Ion: 56 Resp: 72700

Ion	Ratio	Lower	Upper
56	100		
69	37.0	27.0	40.4
84	88.7	71.1	106.7

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#32

1,1,1-Trichloroethane

Concen: 19.366 ug/l

RT: 7.616 min Scan# 967




Delta R.T. -0.006 min


Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Tgt Ion: 97 Resp: 78159

Ion	Ratio	Lower	Upper
97	100		
99	64.7	51.7	77.5
61	44.6	35.7	53.5





#33

1,2-Dichloroethane-d4

Concen: 58.920 ug/l

RT: 8.061 min Scan# 1040

Delta R.T. -0.006 min

Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Instrument :

MSVOA_Y

ClientSampleId :

VY0305SBS01

Tgt Ion: 65 Resp: 125199

Ion Ratio Lower Upper

65 100





67 51.5 0.0 102.8

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 03/06/2025

Supervised By :Semsettin Yesilyurt 03/06/2025



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.615 min Scan# 1131

Delta R.T. -0.006 min

Lab File: VY021408.D

Acq: 05 Mar 2025 13:23




Tgt Ion:114 Resp: 324142


Ion Ratio Lower Upper

114 100

63 20.1 0.0 40.8


88 15.8 0.0 30.8





#35
Dibromofluoromethane
Concen: 54.715 ug/l
RT: 7.634 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01




Tgt Ion:113 Resp: 11657
Ion Ratio Lower Upper
113 100
111 102.1 82.0 123.0
192 19.4 15.9 23.9

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025




#36
1,1-Dichloropropene
Concen: 18.117 ug/l
RT: 7.835 min Scan# 1003
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23



Tgt Ion: 75 Resp: 60422
Ion Ratio Lower Upper
75 100
110 34.4 17.3 51.7
77 31.1 25.4 38.2





#37

Ethyl Acetate

Concen: 19.414 ug/l

RT: 6.988 min Scan# 80

Delta R.T. 0.000 min

Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Instrument :

MSVOA_Y

ClientSampleId :

VY0305SBS01





Tgt Ion: 43 Resp: 28618

Ion	Ratio	Lower	Upper
43	100		
61	13.3	11.4	17.0
70	10.6	8.2	12.2

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#38

Carbon Tetrachloride

Concen: 17.944 ug/l

RT: 7.817 min Scan# 1000




Delta R.T. -0.006 min


Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Tgt Ion:117 Resp: 68825


Ion	Ratio	Lower	Upper
117	100		
119	99.1	75.8	113.8
121	30.1	23.9	35.9





#39
Methylcyclohexane
Concen: 17.471 ug/l
RT: 9.109 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01



Tgt Ion: 83 Resp: 71472
Ion Ratio Lower Upper
83 100
55 79.0 60.7 91.1
98 51.4 38.6 57.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#40
Benzene
Concen: 18.723 ug/l
RT: 8.079 min Scan# 1043
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion: 78 Resp: 183943
Ion Ratio Lower Upper
78 100
77 24.1 19.0 28.4





#41
Methacrylonitrile
Concen: 16.389 ug/l
RT: 7.219 min Scan# 902
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01



Tgt Ion:	41	Resp:	13154
Ion	Ratio	Lower	Upper
41	100		
39	68.6	35.0	52.6
67	87.9	61.2	91.8
52	40.1	26.8	40.2




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#42
1,2-Dichloroethane
Concen: 19.693 ug/l
RT: 8.158 min Scan# 1056
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion:	62	Resp:	54126
Ion	Ratio	Lower	Upper
62	100		
98	9.5	0.0	18.2





#43
Isopropyl Acetate
Concen: 19.858 ug/l
RT: 8.195 min Scan# 1062
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01



Tgt Ion: 43 Resp: 5682
Ion Ratio Lower Upper
43 100
61 19.7 23.4 35.0
87 12.4 10.5 15.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#44
Trichloroethene
Concen: 18.436 ug/l
RT: 8.865 min Scan# 1172
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Tgt Ion:130 Resp: 45770
Ion Ratio Lower Upper
130 100
95 101.4 0.0 191.6





#45

1,2-Dichloropropane

Concen: 19.486 ug/l

RT: 9.140 min Scan# 1217

Delta R.T. -0.006 min

Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Instrument :

MSVOA_Y

ClientSampleId :

VY0305SBS01

Tgt Ion: 63 Resp: 45562

Ion Ratio Lower Upper

63 100





65 29.7 26.0 39.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 03/06/2025

Supervised By :Semsettin Yesilyurt 03/06/2025



#46

Dibromomethane

Concen: 20.600 ug/l

RT: 9.231 min Scan# 1232

Delta R.T. -0.006 min

Lab File: VY021408.D

Acq: 05 Mar 2025 13:23




Tgt Ion: 93 Resp: 26801


Ion Ratio Lower Upper

93 100

95 81.3 65.8 98.8

174 95.0 77.9 116.9









#47
Bromodichloromethane
Concen: 19.461 ug/l
RT: 9.420 min Scan# 1263
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01

Tgt Ion: 83 Resp: 67238
Ion Ratio Lower Upper
83 100
85 61.7 51.1 76.7
127 9.4 6.7 10.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#48
Methyl methacrylate
Concen: 18.888 ug/l
RT: 9.219 min Scan# 1230
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Tgt Ion: 41 Resp: 24819
Ion Ratio Lower Upper
41 100
69 88.0 67.8 101.8
39 61.2 46.4 69.6





#49

1,4-Dioxane

Concen: 442.995 ug/l

RT: 9.231 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Instrument :

MSVOA_Y

ClientSampleId :





VY0305SBS01

Tgt Ion:	88	Resp:	565
Ion	Ratio	Lower	Upper
88	100		
43	35.7	25.0	37.4
58	72.5	58.4	87.6

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#50

Toluene-d8

Concen: 54.145 ug/l




RT: 10.109 min Scan# 1376


Delta R.T. 0.000 min

Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Tgt Ion:	98	Resp:	436802
Ion	Ratio	Lower	Upper
98	100		
100	64.7	52.1	78.1









#51
4-Methyl-2-Pentanone
Concen: 100.554 ug/l
RT: 9.999 min Scan# 1358
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Instrument : MSVOA_Y
ClientSampleId : VY0305SBS01

Tgt Ion: 43 Resp: 14846
Ion Ratio Lower Upper
43 100
58 38.2 31.4 47.2




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#52
Toluene
Concen: 18.781 ug/l
RT: 10.170 min Scan# 1386
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Tgt Ion: 92 Resp: 116326
Ion Ratio Lower Upper
92 100
91 175.2 138.2 207.2









#53
 t-1,3-Dichloropropene
 Concen: 19.141 ug/l
 RT: 10.396 min Scan# 1423
 Delta R.T. 0.000 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0305SBS01

Tgt Ion: 75 Resp: 5826
 Ion Ratio Lower Upper
 75 100
 77 32.4 25.0 37.6




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
 Supervised By :Semsettin Yesilyurt 03/06/2025



#54
 cis-1,3-Dichloropropene
 Concen: 18.954 ug/l
 RT: 9.859 min Scan# 1335
 Delta R.T. 0.000 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23


Tgt Ion: 75 Resp: 68500
 Ion Ratio Lower Upper
 75 100
 77 32.3 24.6 37.0
 39 47.1 39.4 59.2





#55
1,1,2-Trichloroethane
Concen: 20.218 ug/l
RT: 10.572 min Scan# 1452
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01



Tgt Ion	Ratio	Lower	Upper
97	100		
83	86.1	70.0	105.0
85	55.0	44.3	66.5
99	58.9	51.4	77.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#56
Ethyl methacrylate
Concen: 19.416 ug/l
RT: 10.438 min Scan# 1430
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Tgt Ion	Ratio	Lower	Upper
69	100		
41	65.8	53.3	79.9
39	37.7	31.0	46.6









#57
1,3-Dichloropropane
Concen: 19.838 ug/l
RT: 10.719 min Scan# 1476
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01

Tgt Ion: 76 Resp: 5851
Ion Ratio Lower Upper
76 100
78 32.5 26.3 39.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#58
2-Chloroethyl Vinyl ether
Concen: 113.443 ug/l
RT: 9.713 min Scan# 1311
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion: 63 Resp: 113664
Ion Ratio Lower Upper
63 100
106 28.1 22.1 33.1





#59
2-Hexanone
Concen: 98.464 ug/l
RT: 10.761 min Scan# 1483
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01




Tgt Ion: 43 Resp: 96128
Ion Ratio Lower Upper
43 100
58 52.9 27.3 81.8

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025




#60
Dibromochloromethane
Concen: 19.320 ug/l
RT: 10.914 min Scan# 1508
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Tgt Ion:129 Resp: 45075
Ion Ratio Lower Upper
129 100
127 76.4 39.1 117.3





#61
 1,2-Dibromoethane
 Concen: 19.655 ug/l
 RT: 11.018 min Scan# 1525
 Delta R.T. 0.000 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0305SBS01



Tgt Ion:107 Resp: 31570
 Ion Ratio Lower Upper
 107 100
 109 92.6 75.8 113.8




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
 Supervised By :Semsettin Yesilyurt 03/06/2025



#62
 4-Bromofluorobenzene
 Concen: 54.723 ug/l
 RT: 12.408 min Scan# 1753
 Delta R.T. 0.000 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23


Tgt Ion: 95 Resp: 150167
 Ion Ratio Lower Upper
 95 100
 174 82.2 0.0 165.0
 176 79.1 0.0 160.0





#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.420 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01




Tgt Ion:117 Resp: 291860
Ion Ratio Lower Upper
117 100
82 54.2 44.6 67.0
119 31.8 25.4 38.0

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025




#64
Tetrachloroethene
Concen: 18.556 ug/l
RT: 10.646 min Scan# 1464
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Tgt Ion:164 Resp: 44038
Ion Ratio Lower Upper
164 100
166 126.3 100.4 150.6
129 90.8 73.8 110.8
131 92.1 71.5 107.3





#65
Chlorobenzene
Concen: 18.327 ug/l
RT: 11.444 min Scan# 1595
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01




Tgt Ion:112 Resp: 12631
Ion Ratio Lower Upper
112 100
114 33.4 26.1 39.1

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025




#66
1,1,1,2-Tetrachloroethane
Concen: 18.566 ug/l
RT: 11.517 min Scan# 1607
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23



Tgt Ion:131 Resp: 45239
Ion Ratio Lower Upper
131 100
133 95.0 47.6 142.9
119 66.6 32.3 96.9









#67
Ethyl Benzene
Concen: 17.759 ug/l
RT: 11.517 min Scan# 1607
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01

Tgt Ion: 91 Resp: 214834
Ion Ratio Lower Upper
91 100
106 30.1 24.6 36.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#68
m/p-Xylenes
Concen: 36.139 ug/l
RT: 11.627 min Scan# 1625
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Tgt Ion:106 Resp: 165974
Ion Ratio Lower Upper
106 100
91 206.4 161.7 242.5









#69
o-Xylene
Concen: 18.520 ug/l
RT: 11.956 min Scan# 1679
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01

Tgt Ion:106 Resp: 7839
Ion Ratio Lower Upper
106 100
91 212.5 107.6 322.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#70
Styrene
Concen: 18.499 ug/l
RT: 11.969 min Scan# 1681
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion:104 Resp: 129901
Ion Ratio Lower Upper
104 100
78 51.2 40.7 61.1
103 54.4 44.1 66.1





#71
Bromoform
Concen: 19.131 ug/l
RT: 12.133 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01




Tgt Ion:173 Resp: 26059
Ion Ratio Lower Upper
173 100
175 49.4 23.9 71.7
254 0.0 0.1 0.1

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025




#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.346 min Scan# 1907
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Tgt Ion:152 Resp: 150751
Ion Ratio Lower Upper
152 100
115 58.7 29.0 87.0
150 162.6 0.0 347.2





#73
Isopropylbenzene
Concen: 17.228 ug/l
RT: 12.255 min Scan# 1728
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01



Tgt Ion:105 Resp: 204580
Ion Ratio Lower Upper
105 100
120 26.1 13.1 39.3




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#74
N-ethyl acetate
Concen: 17.869 ug/l
RT: 12.072 min Scan# 1698
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion: 43 Resp: 46083
Ion Ratio Lower Upper
43 100
70 43.4 34.6 51.8
55 29.4 21.1 31.7
61 25.2 19.4 29.0





#75
 1,1,2,2-Tetrachloroethane
 Concen: 19.264 ug/l
 RT: 12.505 min Scan# 1769
 Delta R.T. -0.006 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0305SBS01



Tgt Ion: 83 Resp: 40368
 Ion Ratio Lower Upper
 83 100
 131 10.5 5.3 16.1
 85 63.2 31.9 95.5




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
 Supervised By :Semsettin Yesilyurt 03/06/2025



#76
 1,2,3-Trichloropropane
 Concen: 20.188 ug/l m
 RT: 12.560 min Scan# 1778
 Delta R.T. 0.000 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23


Tgt Ion: 75 Resp: 30667
 Ion Ratio Lower Upper
 75 100
 77 0.0 0.0 0.0





#77
Bromobenzene
Concen: 18.046 ug/l
RT: 12.536 min Scan# 1774
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01



Tgt Ion: 156 Resp: 50134
Ion Ratio Lower Upper
156 100
77 184.3 93.6 280.8
158 96.1 48.3 144.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#78
n-propylbenzene
Concen: 17.533 ug/l
RT: 12.596 min Scan# 1784
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion: 91 Resp: 252857
Ion Ratio Lower Upper
91 100
120 22.6 11.3 33.8





#79
2-Chlorotoluene
Concen: 17.893 ug/l
RT: 12.682 min Scan# 1798
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01




Tgt Ion: 91 Resp: 147554
Ion Ratio Lower Upper
91 100
126 33.9 17.2 51.6

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025




#80
1,3,5-Trimethylbenzene
Concen: 17.624 ug/l
RT: 12.737 min Scan# 1807
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23



Tgt Ion:105 Resp: 170075
Ion Ratio Lower Upper
105 100
120 48.8 24.6 73.6









#81
trans-1,4-Dichloro-2-butene
Concen: 17.786 ug/l
RT: 12.304 min Scan# 1736
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01

Tgt Ion: 75 Resp: 1188
Ion Ratio Lower Upper
75 100
53 100.7 81.0 121.4
89 45.0 36.9 55.3




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#82
4-Chlorotoluene
Concen: 17.984 ug/l
RT: 12.779 min Scan# 1814
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion: 91 Resp: 153571
Ion Ratio Lower Upper
91 100
126 34.1 17.0 51.0





#83
 tert-Butylbenzene
 Concen: 17.504 ug/l
 RT: 12.999 min Scan# 1850
 Delta R.T. 0.000 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0305SBS01




Tgt Ion:119 Resp: 150690
 Ion Ratio Lower Upper
 119 100
 91 65.9 33.2 99.6
 134 27.3 13.5 40.5

Manual Integrations
 APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
 Supervised By :Semsettin Yesilyurt 03/06/2025




#84
 1,2,4-Trimethylbenzene
 Concen: 18.026 ug/l
 RT: 13.048 min Scan# 1858
 Delta R.T. 0.000 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23




Tgt Ion:105 Resp: 172723
 Ion Ratio Lower Upper
 105 100
 120 45.0 22.7 68.1





#85
 sec-Butylbenzene
 Concen: 17.354 ug/l
 RT: 13.176 min Scan# 1879
 Delta R.T. 0.000 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0305SBS01




Tgt Ion:105 Resp: 222289
 Ion Ratio Lower Upper
 105 100
 134 19.9 9.9 29.7

Manual Integrations
 APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
 Supervised By :Semsettin Yesilyurt 03/06/2025




#86
 p-Isopropyltoluene
 Concen: 17.680 ug/l
 RT: 13.291 min Scan# 1898
 Delta R.T. -0.006 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23



Tgt Ion:119 Resp: 186571
 Ion Ratio Lower Upper
 119 100
 134 25.9 13.1 39.1
 91 23.8 12.2 36.6





#87

1,3-Dichlorobenzene

Concen: 17.894 ug/l

RT: 13.291 min Scan# 1898

Delta R.T. 0.000 min

Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Instrument :

MSVOA_Y

ClientSampleId :

VY0305SBS01

Tgt Ion:146 Resp: 9895





Ion	Ratio	Lower	Upper
146	100		
111	39.6	20.0	60.0
148	62.9	31.8	95.3

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 03/06/2025

Supervised By :Semsettin Yesilyurt 03/06/2025



#88

1,4-Dichlorobenzene

Concen: 18.120 ug/l

RT: 13.371 min Scan# 1911




Delta R.T. 0.000 min


Lab File: VY021408.D

Acq: 05 Mar 2025 13:23

Tgt Ion:146 Resp: 97999

Ion	Ratio	Lower	Upper
146	100		
111	40.8	19.6	58.8
148	64.8	32.3	96.8









#89
n-Butylbenzene
Concen: 17.578 ug/l
RT: 13.621 min Scan# 1952
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23

Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01

Tgt Ion: 91 Resp: 171289
Ion Ratio Lower Upper
91 100
92 51.7 26.1 78.3
134 24.8 12.6 37.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#90
Hexachloroethane
Concen: 17.307 ug/l
RT: 13.883 min Scan# 1995
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23


Tgt Ion:117 Resp: 38963
Ion Ratio Lower Upper
117 100
201 76.9 37.4 112.2





#91
1,2-Dichlorobenzene
Concen: 18.321 ug/l
RT: 13.663 min Scan# 1959
Delta R.T. 0.000 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01




Tgt Ion:146 Resp: 86839
Ion Ratio Lower Upper
146 100
111 41.7 20.7 62.1
148 63.7 32.1 96.5

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025




#92
1,2-Dibromo-3-Chloropropane
Concen: 19.487 ug/l
RT: 14.273 min Scan# 2059
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Tgt Ion: 75 Resp: 6117
Ion Ratio Lower Upper
75 100
155 78.6 43.5 130.5
157 102.9 54.4 163.2





#93
 1,2,4-Trichlorobenzene
 Concen: 18.004 ug/l
 RT: 14.925 min Scan# 2166
 Delta R.T. 0.000 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0305SBS01



Tgt Ion:180 Resp: 46609
 Ion Ratio Lower Upper
 180 100
 182 93.3 46.7 140.0
 145 30.2 15.6 46.8




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 03/06/2025
 Supervised By :Semsettin Yesilyurt 03/06/2025



#94
 Hexachlorobutadiene
 Concen: 18.168 ug/l
 RT: 15.029 min Scan# 2183
 Delta R.T. 0.000 min
 Lab File: VY021408.D
 Acq: 05 Mar 2025 13:23


Tgt Ion:225 Resp: 29484
 Ion Ratio Lower Upper
 225 100
 223 64.2 31.4 94.2
 227 64.5 31.8 95.4





#95
Naphthalene
Concen: 18.669 ug/l
RT: 15.145 min Scan# 21
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23




Instrument :
MSVOA_Y
ClientSampleId :
VY0305SBS01




Tgt Ion:128 Resp: 72844
Ion Ratio Lower Upper
128 100
127 13.3 10.6 15.8
129 10.7 8.6 13.0

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 03/06/2025
Supervised By :Semsettin Yesilyurt 03/06/2025



#96
1,2,3-Trichlorobenzene
Concen: 18.129 ug/l
RT: 15.328 min Scan# 2232
Delta R.T. -0.006 min
Lab File: VY021408.D
Acq: 05 Mar 2025 13:23



Tgt Ion:180 Resp: 39473
Ion Ratio Lower Upper
180 100
182 95.1 47.2 141.6
145 32.8 16.4 49.1

