

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY030725\
 Data File : VY021467.D
 Acq On : 07 Mar 2025 17:36
 Operator : SY/MD
 Sample : Q1508-01
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RBR251372

Quant Time: Mar 07 22:03:19 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	71682	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	105164	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	75322	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	20414	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.060	65	31645	41.768	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	83.540%
35) Dibromofluoromethane	7.634	113	34830	50.386	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.780%
50) Toluene-d8	10.109	98	120244	45.942	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	91.880%
62) 4-Bromofluorobenzene	12.407	95	24546	27.570	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	55.140%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY030725\
Data File : VY021467.D
Acq On : 07 Mar 2025 17:36
Operator : SY/MD
Sample : Q1508-01
Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RBR251372

Quant Time: Mar 07 22:03:19 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration

