

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY031122\
 Data File : VY007851.D
 Acq On : 11 Mar 2022 13:53
 Operator : SY/MD
 Sample : N1847-05
 Misc : 8.88g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CG-B1-030722-0-1

Quant Time: Mar 11 23:21:44 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022822S.M
 Quant Title : SW846 8260
 QLast Update : Tue Mar 01 09:08:03 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	220640	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	377887	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	335891	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	139331	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	132246	57.252	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.500%
35) Dibromofluoromethane	7.722	113	127891	52.936	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.880%
50) Toluene-d8	10.179	98	471037	52.966	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	105.940%
62) 4-Bromofluorobenzene	12.483	95	128410	44.794	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	89.580%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY031122\
Data File : VY007851.D
Acq On : 11 Mar 2022 13:53
Operator : SY/MD
Sample : N1847-05
Misc : 8.88g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CG-B1-030722-0-1

Quant Time: Mar 11 23:21:44 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y022822S.M
Quant Title : SW846 8260
QLast Update : Tue Mar 01 09:08:03 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.795 min Scan# 979
Delta R.T. 0.006 min
Lab File: VY007851.D
Acq: 11 Mar 2022 13:53




Instrument :
MSVOA_Y
ClientSampleId :
CG-B1-030722-0-1


Tgt Ion:168 Resp: 220640
Ion Ratio Lower Upper
168 100
99 51.0 46.9 70.3



#33
1,2-Dichloroethane-d4
Concen: 57.252 ug/l
RT: 8.142 min Scan# 1037
Delta R.T. -0.001 min
Lab File: VY007851.D
Acq: 11 Mar 2022 13:53

Tgt Ion: 65 Resp: 132246
Ion Ratio Lower Upper
65 100
67 52.8 0.0 99.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. 0.000 min

Lab File: VY007851.D

Acq: 11 Mar 2022 13:53

Instrument :

MSVOA_Y

ClientSampleId :

CG-B1-030722-0-1





Tgt Ion:114 Resp: 377887

Ion Ratio Lower Upper

114 100

63 19.3 0.0 43.2

88 13.4 0.0 31.8



#35

Dibromofluoromethane

Concen: 52.936 ug/l

RT: 7.722 min Scan# 968

Delta R.T. 0.006 min

Lab File: VY007851.D

Acq: 11 Mar 2022 13:53




Tgt Ion:113 Resp: 127891


Ion Ratio Lower Upper

113 100

111 103.7 82.6 124.0

192 19.7 17.6 26.4









#50
Toluene-d8
Concen: 52.966 ug/l
RT: 10.179 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY007851.D
Acq: 11 Mar 2022 13:53




Instrument :
MSVOA_Y
ClientSampleId :
CG-B1-030722-0-1


Tgt Ion: 98 Resp: 471037
Ion Ratio Lower Upper
98 100
100 63.4 50.2 75.2



#62
4-Bromofluorobenzene
Concen: 44.794 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY007851.D
Acq: 11 Mar 2022 13:53

Tgt Ion: 95 Resp: 128410
Ion Ratio Lower Upper
95 100
174 92.9 0.0 177.0
176 89.9 0.0 175.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 117
Delta R.T. -0.001 min
Lab File: VY007851.D
Acq: 11 Mar 2022 13:53

Instrument :
MSVOA_Y
ClientSampleId :
CG-B1-030722-0-1

Tgt Ion:117 Resp: 335891
Ion Ratio Lower Upper
117 100
82 53.6 43.0 64.4
119 32.4 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.422 min Scan# 1903
Delta R.T. -0.000 min
Lab File: VY007851.D
Acq: 11 Mar 2022 13:53

Tgt Ion:152 Resp: 139331
Ion Ratio Lower Upper
152 100
115 55.6 28.2 84.7
150 156.1 0.0 347.6

