

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY031125\
 Data File : VY021497.D
 Acq On : 11 Mar 2025 19:26
 Operator : SY/MD
 Sample : Q1534-20
 Misc : 4.95g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OR-363-VOC-19

Quant Time: Mar 12 01:26:45 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	227836	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	433453	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	385864	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	147949	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	142303	59.094	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	118.180%
35) Dibromofluoromethane	7.634	113	148006	51.947	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.900%
50) Toluene-d8	10.103	98	529025	49.039	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.080%
62) 4-Bromofluorobenzene	12.408	95	156132	42.548	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	85.100%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY031125\
Data File : VY021497.D
Acq On : 11 Mar 2025 19:26
Operator : SY/MD
Sample : Q1534-20
Misc : 4.95g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OR-363-VOC-19

Quant Time: Mar 12 01:26:45 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration

