

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY031125\
 Data File : VY021495.D
 Acq On : 11 Mar 2025 18:39
 Operator : SY/MD
 Sample : Q1534-08
 Misc : 4.70g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OR-363-VOC-17

Quant Time: Mar 12 01:26:21 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	218566	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	411520	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	370876	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	146310	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	141708	61.343	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	122.680%
35) Dibromofluoromethane	7.634	113	142326	52.616	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.240%
50) Toluene-d8	10.103	98	505462	49.352	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.700%
62) 4-Bromofluorobenzene	12.407	95	153826	44.154	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	88.300%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY031125\
Data File : VY021495.D
Acq On : 11 Mar 2025 18:39
Operator : SY/MD
Sample : Q1534-08
Misc : 4.70g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OR-363-VOC-17

Quant Time: Mar 12 01:26:21 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY021495.D
Acq: 11 Mar 2025 18:39




Instrument :
MSVOA_Y
ClientSampleId :
OR-363-VOC-17


Tgt Ion:168 Resp: 218566
Ion Ratio Lower Upper
168 100
99 58.9 46.0 69.0



#33
1,2-Dichloroethane-d4
Concen: 61.343 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.006 min
Lab File: VY021495.D
Acq: 11 Mar 2025 18:39

Tgt Ion: 65 Resp: 141708
Ion Ratio Lower Upper
65 100
67 52.9 0.0 102.8









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.615 min Scan# 1132
Delta R.T. -0.006 min
Lab File: VY021495.D
Acq: 11 Mar 2025 18:39




Instrument :
MSVOA_Y
ClientSampleId :
OR-363-VOC-17


Tgt Ion:114 Resp: 411520
Ion Ratio Lower Upper
114 100
63 20.9 0.0 40.8
88 14.4 0.0 30.8



#35
Dibromofluoromethane
Concen: 52.616 ug/l
RT: 7.634 min Scan# 970
Delta R.T. -0.006 min
Lab File: VY021495.D
Acq: 11 Mar 2025 18:39

Tgt Ion:113 Resp: 142326
Ion Ratio Lower Upper
113 100
111 102.8 82.0 123.0
192 19.0 15.9 23.9









#50
Toluene-d8
Concen: 49.352 ug/l
RT: 10.103 min Scan# 1376
Delta R.T. -0.006 min
Lab File: VY021495.D
Acq: 11 Mar 2025 18:39




Instrument :
MSVOA_Y
ClientSampleId :
OR-363-VOC-17


Tgt Ion: 98 Resp: 505462
Ion Ratio Lower Upper
98 100
100 64.3 52.1 78.1



#62
4-Bromofluorobenzene
Concen: 44.154 ug/l
RT: 12.407 min Scan# 1753
Delta R.T. 0.000 min
Lab File: VY021495.D
Acq: 11 Mar 2025 18:39

Tgt Ion: 95 Resp: 153826
Ion Ratio Lower Upper
95 100
174 81.6 0.0 165.0
176 77.9 0.0 160.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY021495.D
Acq: 11 Mar 2025 18:39

Instrument :
MSVOA_Y
ClientSampleId :
OR-363-VOC-17

Tgt Ion:117 Resp: 370876
Ion Ratio Lower Upper
117 100
82 57.8 44.6 67.0
119 31.9 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.346 min Scan# 1907
Delta R.T. -0.006 min
Lab File: VY021495.D
Acq: 11 Mar 2025 18:39

Tgt Ion:152 Resp: 146310
Ion Ratio Lower Upper
152 100
115 58.9 29.0 87.0
150 157.3 0.0 347.2

