

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY031325\
 Data File : VY021517.D
 Acq On : 13 Mar 2025 11:27
 Operator : SY/MD
 Sample : VY0313SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0313SBL01

Quant Time: Mar 14 14:55:23 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	239160	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	443031	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	398087	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	156172	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	149753	59.243	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	118.480%
35) Dibromofluoromethane	7.634	113	150325	51.621	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.240%
50) Toluene-d8	10.109	98	540551	49.024	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.040%
62) 4-Bromofluorobenzene	12.408	95	164450	43.846	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	87.700%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY031325\
Data File : VY021517.D
Acq On : 13 Mar 2025 11:27
Operator : SY/MD
Sample : VY0313SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0313SBL01

Quant Time: Mar 14 14:55:23 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration

