

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY031925\
 Data File : VY021564.D
 Acq On : 19 Mar 2025 11:11
 Operator : SY/MD
 Sample : VY0319SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0319SBL01

Quant Time: Mar 20 01:29:18 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	262179	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	482476	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	423939	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	167704	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	151297	54.599	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	109.200%
35) Dibromofluoromethane	7.634	113	159511	50.297	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.600%
50) Toluene-d8	10.109	98	581939	48.463	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.920%
62) 4-Bromofluorobenzene	12.408	95	173383	42.448	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	84.900%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY031925\
Data File : VY021564.D
Acq On : 19 Mar 2025 11:11
Operator : SY/MD
Sample : VY0319SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0319SBL01

Quant Time: Mar 20 01:29:18 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration

