

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032025\
 Data File : VY021579.D
 Acq On : 20 Mar 2025 14:01
 Operator : SY/MD
 Sample : Q1606-03
 Misc : 5.01g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RBR251346

Quant Time: Mar 21 01:33:22 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 05 12:42:45 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	42401	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	70246	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	61541	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	20880	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	25536	56.981	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	113.960%
35) Dibromofluoromethane	7.628	113	27324	59.177	ug/l	-0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	118.360%
50) Toluene-d8	10.109	98	82901	47.418	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	94.840%
62) 4-Bromofluorobenzene	12.408	95	23268	39.126	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	78.260%
Target Compounds						
20) Methylene Chloride	4.622	84	1929	3.760	ug/l	89
52) Toluene	10.176	92	8115	6.046	ug/l	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY032025\
Data File : VY021579.D
Acq On : 20 Mar 2025 14:01
Operator : SY/MD
Sample : Q1606-03
Misc : 5.01g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RBR251346

Quant Time: Mar 21 01:33:22 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y030425S.M
Quant Title : SW846 8260
QLast Update : Wed Mar 05 12:42:45 2025
Response via : Initial Calibration

